
Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.




GIEN SAINT MARY AURSERIES

1911

GUEN SAINT MARY, FROIRE



Pecan Trees in the Nursery



The Muscadine Grape Nursery



Citrus Trees in the Nursery



Gathering Kumquats at Glen Saint Mary Nurseries

Established 1882 · Incorporated 1907

Glen Saint Mary Nurseries Company

G. L. TABER . . . President and Treasurer

H. HAROLD HUME . Vice-President and Secretary

W. P. JERNIGAN . . Assistant Treasurer M. M. BASS Field Manager

GLEN SAINT MARY, FLORIDA 1911



A View at Glen Saint Mary Nurseries

Foreword

HE best evidence of what one can do is what one has done; and so, in presenting our catalogue for 1911, we point to our records of the past as the best indication of what we may be expected to do in the future.

We have now been in business for twenty-eight years, and throughout that time have followed the same painstaking methods of growing trees and plants that we employ today.

In a word, these consist of careful and continuous "tests," which are described more fully on the following pages. By them we are able to determine positively before introducing a new variety, whether it possesses real merit; or, in the case of some better-known sort of fruit or flower, to decide on our own grounds, whether it is really good enough to recommend to our customers.

Thus the trees and plants offered by the Glen Saint Mary Nurseries Company have always been absolutely reliable and trustworthy, and thus it is today that, go where you will through the Gulf Coast states, you will find groves and orchards supplied by us, in full and profitable bearing.


Our soil is a sandy loam underlaid with clay—a most desirable combination for developing thrifty, sturdy trees and plants that live and grow. Our various departments are in charge of men who are real Nursery experts—many of them have been in our employ for years, studying the special needs of the South—and thus each tree or plant receives the care it needs for its proper development.

Upon these three notable advantages—proper selection of varieties, ideal conditions for growing stock, and expert help with which to do it—we base our claim for the patronage of every planter who seeks the **greatest value** in return for the money he invests. **The best quality obtainable** has been our constant aim ever since we entered the nursery business—and our friends may be assured that their interests will be likewise safeguarded in all that they order from us hereafter.

GLEN SAINT MARY NURSERIES CO.

G. L. TABOR, President

Glen Saint Mary, Florida



In planting Citrus Fruits, three things are of primary importance—soil, climate and trees. Good judgment must be exercised in the selection of a location, that the trees may be set in

ideal surroundings, for no amount of expense and labor will overcome unsuitable conditions.

Having selected a good soil and a suitable location, it is essential that good trees be procured. These should be well grown with clean, smooth trunks, not stunted nor bark-bound, but vigorous, thrifty trees. They should be free from insects and diseases, carefully dug and carefully packed, so as to reach the planter in good condition.

In addition to all this, the trees must be "true to name," for no one can tell until they come into bearing whether they are or not, and success or failure depends on their genuineness. In growing our trees, we spare no expense in producing the best that can be grown. We produce trees to fill the conditions set forth above. Our constant aim is to secure quality, for the purchase of cheap, poorly grown, mixed trees is the most expensive investment that can be made.

Unless otherwise instructed, all Citrus trees are trimmed ready for planting before shipping.

Trees on Sour Orange and Rough Lemon Stocks

For general planting in the Citrus districts, Sour Orange stock will be found most satisfactory. It is adapted to a wide range of territory and conditions, but prefers rather heavy soil and a good supply of moisture. Its habit of developing a deep root system, its thrifty vigorous growth, its hardiness, its immunity from foot-rot, and its general adaptability to different varieties of Citrus fruits, are all strong points in its favor and well worthy of note.

Rough Lemon stock produces a very strong growth of bud placed upon it. It is recommended for planting on dry soils and in those localities where either lack of moisture or trying soil conditions render the use of Sour stock inadvisable. It is particularly adapted to deep sandy soils. Most shybearing varieties are much more prolific on Rough Lemon stock. It cannot be recommended for the colder sections.

Varieties on Sour Orange and Rough Lemon

Boone's Early, Carleton, Centennial, Dugat, Enterprise Seedless, Hart's Late, Homosassa, Jaffa, King, Lamb, Madam Vinous, Magnum Bonum, Majorca, Mediterranean Sweet, Nonpareil, Old Vini, Parson Brown, Pineapple, Ruby, Sweet Seville, Tangerine, Thompson Improved Navel, Valencia Late, Washington Navel, Duncan, Hall Silver Cluster, McCarty, Marsh Seedless, Pernambuco, Triumph, Kenedy, Ponderosa and Villa Franca.



Citrus Fruits

PRICES ON ORANGES.—On Sour Orange and Rough Lemon stocks:				
			100	1,000
2 to 3 feet	\$0 35	\$3 00	\$25 00	\$220 00
3 to 4 feet	40	3 50	30 00	270 00
4 to 5 feet	50	4 50	40 00	350 00
5 to 7 feet	65	5 50	45 00	400 00
We can supply a limited number of trees in 2- and 3-year sizes.	Write for	list of v	arieties a	nd prices.

Trees on Citrus Trifoliata Stock

Citrus trifoliata is the hardiest species of Citrus known in this country. It is deciduous, grows well in the open ground as far north as Washington, D. C., and withstands temperatures of 15° below zero and lower.

It has become of great importance as a stock for citrus trees of all kinds. Varieties budded on it are made hardier because of its dormant and hardy character, and the fruit is of exceedingly fine quality, ripening two or three weeks earlier than if budded on other stocks. It has been claimed that it dwarfs the trees budded upon it, but the tests of years in our test-groves have not proven this to be so except in the case of a few varieties. For the Satsuma orange, it is the only stock to use.

Citrus trifoliata is adapted for planting on alluvial lands, clay lands, soils underlaid with clay and those which naturally contain plenty of moisture or to which water can be applied by irrigation. It should not be planted on high, dry, sandy lands lacking in moisture. On such soils it is a failure

Seedlings can be used as a hedge, and it forms an impenetrable barrier to man or beast and, with proper care, can be made rabbit-proof.

Varieties on Citrus Trifoliata Stock

We do not attempt to propagate all our varieties on *Citrus trifoliata*, and carry only a select list of those varieties which our experience has proven will give satisfaction on this stock. Our list of varieties is as follows, though we can supply a few trees of nearly all varieties in our list on special request: Boone's Early, Carleton, Double Imperial Navel, Dugat, Homosassa, Jaffa, King, Madam Vinous, Magnum Bonum, Mandarin, Mediterranean Sweet, Nonpareil, Old Vini, Parson Brown, Pineapple, Ruby, Satsuma, Tangerine, Valencia Late, Washington Navel, Duncan, McCarty, Pernambuco, Kenedy, Ponderosa, Villa Franca and Kumquats.

PRICES ON SATSUMA AND OTHER ORANGES—On Citrus trifoliata Stock

PRICES ON SAISUMA AND OTHER ORANGES.—On Citrus inionata Stock.					
Ea	ch	Per	IO	100	I 000
I to 2 feet\$o	35	\$3	00	\$27 00	\$240 00
2 to 3 feet	45		00	35 00	320 00
3 to 4 feet					
4 to 5 feet	65	6	00	55 0	520 00
5 to 7 feet	75	7	00		
PRICES ON CITRUS TRIFOLIATA SEEDLINGS.					
8 to 12 inches\$o	15	\$I	00	\$7 0	\$30-00
I to 2 feet	20	I	50	10 00	50 00
2 to 3 feet	25	2	00	12 0	70 00
For prices on Pomelos, Lemons and Kumquats, see under these fruits.					

ORANGES

In order of ripening, varieties may be arranged about as follows: Very early—Boone Early, Satsuma, Sweet Seville. Early—Centennial, Dugat, Enterprise Seedless, Nonpareil, Parson Brown, Thomson Improved Navel. Medium—Homosassa, Jaffa, Madam Vinous, Magnum Bonum, Majorca, Mandarin, Old Vini, Pineapple, Ruby, St. Michael Blood, Tangerine, Washington Navel. Late—Mediterranean Sweet, Navelencia, Very late—Hart Late, King, Valencia Late, Lamb Summer. Blood markings do not appear till late in the season. Some varieties hang on the tree and improve in quality after they first become marketable.

Boone (Boone's Early). Medium size; good quality. One of the most valuable extremely early varieties. Unlike most early varieties, it colors up as soon as ripe.

Carleton. Round or somewhat oval, with smooth bright skin. Juicy and of high quality. Early seedless. Originated in the grove of Mr. Albert Carleton, Wauchula, Fla., from whom we





Citrus Fruits

secured our original buds on the condition that it should be introduced as Carleton.

Centennial. Ripens early, but hangs on the tree well, and is of fine quality late in the season. Is a vigorous grower and prolific bearer.

Dugat. This variety has been grown in southern Texas for several years, where it is highly esteemed as one of the hardiest varieties and of excellent quality.

Double Imperial Navel. A medium sized round navel orange, with smooth bright golden yellow skin; juicy and of excellent quality. It usually has a few seeds, 4 to 6. This variety has fruited so well on *Citrus trifoliata* stock that we have decided to propagate it on this stock. It has proven itself to be very hardy. Ripens in November.

Enterprise Seedless (Starke Seedless). Size medium; quality fine; seedless, or nearly so. Tree vigorous and productive. Early.

Hart (Hart's Late). Of medium size, round or slightly oval; smooth; very solid and heavy, the flesh being very firm; quality good; peel of lightest cast; few seeds. The tree is very strong, spreading and vigorous grower, prolific; the foliage is distinct; but few thorns. Ripens in April; hangs on the tree in good condition until midsummer. The best late variety for general planting.

Homosassa. Size about medium; round, somewhat flattened; very heavy; color bright; skin very smooth, thin, tough and dense; pulp fine sweet and juicy; flavor full, vinous and sprightly; membranes covering segments of pulp thin and small in quantity; keeps and carries well. Quality best. Tree vigorous and prolific.

Jaffa. Medium to large; peeel thin; pulp melting, scarcely any fiber; juicy, rich and of exquisite flavor. In quality unsurpassed, being one of the four or five varieties which head the list in all competitions. The fruit remains in the tree in prime condition for a long period. The tree is a strong, upright grower of distinct habit, practically thornless, and a prolific bearer when it has attained sufficient size to hold good crops.

King. Very large, flattened and with loosely adhering rind and segments; color orange-red; skin rough, but general appearance fine; its high and peculiar aromatic flavor is very agreeable; it has few seeds; flesh deep red-orange, juicy, meaty; inner lining of rind and membranes bright buff. Quality the very best. Tree upright, strong grower; quite thorny. March, April and May; keeps in good condition even later.

Lamb (Lamb's Summer). A medium-sized orange of fair quality, valuable chiefly on account of the time of ripening—during the summer, as its name indicates.


Madam Vinous. Medium to large; skin smooth and thin. Quality fine. One of the best of the numerous good varieties from the Indian river section of Florida. Ripens midseason.


Magnum Bonum. Size large to very large; flattened; color light, clear orange; skin smooth and glossy; color of flesh light; grain very fine, tender and melting; fruit heavy and juicy; excellent shipper; quality best. prolific and vigorous.

Majorca. Medium size; round; rich, juicy and sweet; equals Jaffa in quality, its characteristics being similar to that variety. It is a good keeper and shipper. Tree a strong, bushy grower, very robust; foliage very distinct; nearly thornless; a fine bearer.

Mandarin. Medium size, flattened; deep yellow; skin thin; segments loosely adherent; flesh dark orange-yellow, spicy and aromatic. Although largely superseded in Florida by other Mandarin oranges, yet in southern Louisiana the Mandarin is still planted as one of the most profitable sorts.

Mediterranean Sweet (Sanford's). Large size; smooth rind. Quality good. Ripens late. One of the best of General Sanford's introductions.





Satsuma Oranges

Nonpareil. Size medium to slightly larger, somewhat flattened; grain fine, pulp melting and tender; juice subacid and vinous; quality best. Tree vigorous and prolific. A very desirable early variety.

Old Vini (Beach No. 4). The size is medium, slightly flattened; color dark orange; pulp melting; juice subacid; pleasantly spright quality.

Parson Brown. Size medium, round or slightly oblong; peel smooth, texture fine; quality good. Keeps and ships well. One of the best of the early varieties. Begins to ripen in October.

Pineapple. A most excellent variety, which has, during recent years, attained, and very justly so, a great amount of prominence. The tree is a very strong, upright grower; prolific. Fruit medium to large; peel thin but tough, very smooth and bright; heavy, juicy and of excellent quality. We consider this one of the best round oranges and recommend it as one of the most profitable sorts for extensive planting.

Ruby. Medium-sized, nearly round; skin thin but very tough; pulp melting, rich, juicy and of exquisite flavor; quality unsurpassed. As the fruit ripens it usually becomes streaked or mottled with blood-red; often the entire pulp gets ruby-red, showing through the peel in a reddish blush on the outside. Ruby is the best of the blood oranges, and its eating quality is good before the markings show. The tree is

vigorous, nearly thornless, and a regular bearer. We esteem this one of the most valuable varieties for general planting.

St. Michael Blood. One of the best of the Blood Oranges. Fruit medium size, almost round, with thin but tough skin; pulp juicy, melting rich and of exquisite flavor, being unsurpassed in quality. Usually the fruit becomes mottled or streaked with blood red as it ripens, the pulp often a beautiful, rich ruby-red, showing through the peel in a reddish blush. Is a regular bearer, very vigorous and nearly thornless.

Satsuma (Synonyms: Oonshiu, Kii Seedless). Of medium size; flattened; loosely adhering rind and easily separated segments like all other varieties of the Mandarin (Citrus nobilis) group; the color is a deep yellow; flesh fine-grained, tender, juicy, sweet and delicious; entirely seedless. Ripens in September, October and November. Tree of somewhat smaller growth than other oranges, and is of unique habit. Entirely thornless. Bears when very young. This is undoubtedly the hardiest known variety of edible Orange, and this, in connection with its early ripening and fine quality, makes it an exceedingly valuable sort. We are growing it largely in our own orange groves at Glen Saint Mary, in northern Florida, and are probably the largest propagators of this variety in America. When budded on Citrus trifoliata it is the best variety for general planting throughout northern Florida and the Gulf coast Orange region generally.





Citrus Fruits

Sweet Seville (Sanford's). Size medium, round; a good keeper and shipper; sweetens first of the early kinds, and is known distinctly as a sweet Orange. Tree vigorous and prolific.

Tangerine (Dancy's). One of the well-known "kid-glove" Oranges; belongs to the Mandarin group. Flat, small to medium; skin separates freely from the flesh; juicy, aromatic and rich, of a deep red color. Particularly good grower and prolific. December, January and February.

Thompson Improved Navel. This variety has been attracting considerable attention in California, where it was originated. Fruit of medium size, rind very smooth and thin; pulp juicy, sweet, and of firm texture. Ripens early. Tree similar to Washington Navel.

Valencia Late. A very late and very prolific variety of fine quality. Season May and June, but fruit will hang on trees till August or September. Fruit of good size, oval or rounded in shape; juicy and tender.

Washington Navel. Like other Navels, bears a peculiar umbilical formation on the summit or blossom end of the fruit; this protuberance is not so prominent as in some varieties of Navel Orange. The fruit is large to very large, somewhat oval; flesh meaty, tender, sweet and highly flavored; an exceptionally luscious fruit.



Pineapple Oranges (see page 6)

POMELO. Grapefruit

Year by year the Pomelo is steadily gaining in public favor. More of the fruit is consumed than ever before, and still the demand is increasing. It has become the breakfast fruit of America.

To the planter of citrus trees, the Pomelo commends itself because it comes into bearing early and bears extremely heavy crops. It is not too much to say that Pomelo trees will bear more fruit per tree than any other citrus.


We have given particular attention to the growing of Pomelo trees for many years. In our tests grove we have the different varieties in fruit and are, therefore, in position to speak definitely concerning their merits and to know definitely that our stock is genuine.

PRICES ON POMELO.—On Sour Orange and Rough Lemon stocks.	Per 10	100	1,000
2 to 3 feet, stake-trained\$0 35	\$3 00	\$25 00	\$220 00
3 to 4 feet	3 50	30 00	270 00
4 to 5 feet	4 50	40 00	350 00
5 to 7 feet	5 50	45 00	400 00
PRICES ON DUNCAN AND PERNAMBUCO POMELOS.—On Trifoliata stock. Each	Per 10	100	1,000
I to 2 feet, stake-trained\$0 35	\$3 00	\$27 00	\$240 00
2 to 3 feet	4 00	35 00	320 00
3 to 4 feet	5 00	45 00	420 00
4 to 5 feet	6 00	55 00	520 00
5 to 7 feet			

Duncan. Of large size; peel tough and smooth. Quality very best; regular old-fashioned Grape-fruit flavor. Strong grower and regular and prolific bearer. We recommend this variety without the slightest hesitation as being one of the finest, also one of the hardiest varieties. Hangs on trees and keeps in fine condition until late spring or early summer.

Hall (Hall's Silver Cluster). Medium to large, nearly round. Good quality, heavy bearer, large bunches.

Marsh Seedless. Large size, slightly flattened; skin very smooth; heavy, juicy and of



Duncan Pomelo

excellent quality. Nominally seedless, it generally has a limited number of seeds. Desirable.

Pernambuco. A large Grapefruit with very smooth light-colored skin. A good bearer. The fruit is of excellent quality and handsome appearance. It ripens late and hangs on the trees well. This variety was imported from Brazil by the United States Department of Agriculture, a number of years ago.

Triumph. Medium size; skin smooth; heavy; juicy, well-flavored; less bitter than some others. A strong grower, prolific. This is the earliest variety of Grapefruit we have, and for home use and for some markets it is excellent. It cannot be recommended for planting in the colder sections, as the tree is tender. The fruit does not run large enough to suit many growers, but we esteem it highly for its season.



THE IFOMELO THAT BEARS ITS FRUITS SINGLY

For many years we have had under observation a Pomelo of the famous Indian River strain, a late-maturing variety of unsurpassed quality. The fruit is waxy, yellow color; of large size, packing 48 to 64 per box. The tree is vigorous, healthy and prolific. The striking peculiarity of the variety is that the fruit, almost entirely, is borne, not in bunches, but singly, and well distributed over the tree. This is a valuable feature.

The flavor is a perfect blending of sweet, acid and bitterness, the true Pomelo flavor. The flesh is melting, free from fiber and rag; seeds about the usual number.

We have named the variety McCarty, in honor of the late Mr. C. T. McCarty, one of Florida's most noted horticulturists. The original tree is growing at the McCarty home at Eldred, Florida, and we believe it to be well worthy of his name.



PRICES ON NEW POMELO, McCARTYOn	Sour	Orange	and Citrus
trifoliata stock			100
2 to 3 feet, stake-trained	.\$o 5	0 \$4 5	50 \$40 00
3 to 4 feet	. 6	5 6 0	00 55 00
4 to 5 feet			
5 to 7 feet	1 0	00 9 5	50 90 00





Citrus Fruits

KUMQUATS

The Kumquat, or Kin-kan (Citrus Japonica), the smallest of the Citrus family, is a hardy shrub,

reaching a height of 10 to 15 feet. A handsome plant, with dark foliage and golden fruit.

Kumquats equal the Satsuma orange in hardiness, and should be planted with it. On *Citrus trifoliata* stock, it will withstand a temperature of 15° Fahr. without injury. The fruit sells at a fancy price, \$6 to \$10 per crate, and, if carefully marketed, it is a very profitable fruit to grow. The fruits should be picked with leaves attached, packed tastefully in quart baskets, and shipped in strawberry crates. They are eaten without removing the rind, and make excellent preserves, marmalades, jellies and crystallized fruit. We propagate only on *Citrus trifoliata* and Rough Lemon stock, as they do not grow well on Sweet or Sour Orange roots.

PRICES ON KUMQUATS.—On Citrus trifoliata and Rough Lemon stocks.		T	
		Per 10	
I-year buds, about I $\frac{1}{2}$ to 2 feet, stocky			
2-vear buds, about 2 to 3 feet, stocky	. 60	5 00	45 00

Nagami. Fruit oblong about 1½ to 2 inches in length and 1 inch in diameter; fruit golden yellow; rind sweet; pulp and juice sprightly, of fine flavor. Tree forms a nice head and grows quite symmetrically; a little more open than the Marumi but still compact. Leaves are a trifle larger than those of Marumi. A very desirable variety.

Marumi. Fruit round, about one inch in diameter, bright golden yellow. Rind sweet, with a pleasant flavor, and pulp and juice sprightly; quality very fine. Tree forms a beautiful, well-rounded, symmetrical head even when quite young, and always retains this shape. Tree a little more compact than Nagami. Begins to ripen two to three weeks before Nagami.



Nagami Kumquats

LEMONS

Villa Franca. Medium size; rind smooth, thin and sweet; juicy; acid very strong and of fine quality; tree has but few thorns and is a vigorous grower and very productive. Fruit a good shipper. One of the very best; has taken first rank in many competitive exhibits.

PRICES ON VILLA FRANCA.—On Sour Orange and Rough Lemon stocks.	Fach	Per 10	T00
PRICES ON VIEW PRANCE. On Soul Grange and Rough Bellion Stocks.			
2 to 3 feet, stake-trained			
3 to 4 feet		3 50	30 00
4 to 5 feet	50	4 50	40 00
5 to 7 feet	, , , , 65	5 50	45 00



Citrus Fruits

PRICES ON VILLA FRANCA LEMON.—On Trifoliasa stock.		Per 10	
I to 2 feet, stake-trained			\$27 00
2 to 3 feet			35 00
3 to 4 feet	. 55	5 00	45 00
4 to 5 feet			55 00
5 to 7 feet	. 75	7 00	
Ponderosa Lemon. An exceptionally large Lemon, fruits weighing from			
very juicy, excellent quality, genuine lemon flavor. Rind very thin for such a l	arge fru	iit. Bea	rs when

quite young. Tree quite similar to other lemons in appearance and about as hardy.

PRICES ON PONDEROSA LEMON.—On Sour Orange and Citrus trifoliata stock		Per 10
2 to 3 feet		
3 to 4 feet		
4 to 5 feet		
5 to 7 feet	. I 25	; 11 00

New Lemon, Kenedy


A LEMON ALL JUICE AND THE JUICE ALL ACID

This fine Lemon originated on the ranch of Mr. John G. Kenedy, Sarita, Texas. In the winter of 1908, our President, Mr. G. L. Taber, visited the original tree and, with Mr. Kenedy's assist-

ance and under his supervision, cut buds from the tree which Mr. Kenedy said was the best and should be known as Kenedy. Buds had already been cut indiscriminately from this and four other seedling lemons, and the whole mixed lot is

now being grown and disseminated by other nurserymen as Kenedy Lemon. We are pleased to be able to introduce the true variety of this name. It is a Lemon of good commercial size and considered hardy, quite or almost seedless, beautiful, smooth with very thin rind and solid flesh. The tree is prolific and thrifty.

We submitted specimens to Prof. W. A. Blair, Chemist of the Florida Experiment Station, who reported the fruit as containing 68.69 per cent juice and 7.40 per cent citric acid. This marks it as a Lemon of the very highest quality.



Kenedy Lemon

PRICES ON KENEDY LEMON.—On Sour Orange and Citrus trifoliata stock	Each	Per 10	100
2 to 3 feet	\$0 50	\$ 4 00	\$35 00
3 to 4 feet	75	6 00	55 00
4 to 5 feet	I 00	9 00	80 00
5 to 7 feet	I 25	II 00	100 00

LIMES

Limes can be put to all the uses for which the lemon is adapted. The flavor is different from that of the Lemon, but is highly appreciated by every one who has used the fruit. In tropical countries they are in more general use than lemons.

Lime trees are vigorous growers and in suitable climates bloom and bear continuously throughout the year. It must be remembered that Limes are very tender trees and should not be planted in sections subject to hard frosts. For this reason we are growing them only on sour orange and rough lemon stocks. They grow well under very adverse conditions.

Persian Lime. Large size, about the same as an ordinary lemon. Smooth, very juicy, with strong, clear acid. Tree grows stronger and is a good bearer. A desirable Lime.





Citrus Fruits

PRICES ON PERSIAN LIMES.—On Sour Orange and Rough Lemon stocks.

																						Per		
2	to	3	feet	. :	 									-	 					. \$0	35	\$3	00)
3	to	4	feet																		40	3	50)
4	to	5	feet						. ,												50	4	50)
5	to	7	feet																		65	5	50)

Citrus Fruits and Their Culture

By II. HAROLD HUME

This work is heartily endorsed by the leading growers of citrus fruits. The subject of citrus fruit-growing is thoroughly covered in all its phases, from the preparation of the land and the planting of the trees to the marketing of the fruit. For the grower engaged in the production of first-class oranges, pomelos (grapefruit) or lemons, it is an invaluable book. It contains 597 pages, well illustrated with line drawings and half-tone engravings. Price, postpaid, \$2.50.



PECANS


Throughout the southern states, no fruit or nut tree is better adapted for general planting than the Pecan. It is worthy of a place in every fruit-garden, on every lawn and from the standpoint of the orchardist, it is one of the most important trees for the South. It fits well in the general farming of the regions to which it is adapted. It must be planted farther apart than other fruit trees and ample space is left for the cultivation of general farm crops, for a number of years. Such crops as corn or cotton and truck crops of different kings can be grown to advantage, with benefit to the trees, and will more than cover the cost of maintenance until they commence to bear.

It must not be taken for granted, however, that because the pecan grows wild in certain parts of the country that it will take care of itself, there is nothing to do but to harvest the crop. Good care and cultivation are just as essential as in the handling of any other fruit tree.

The land selected for the Pecan orchard should be of good quality, with good drainage. Sandy loam soils with clay subsoils, clay lands, if not too sticky, and alluvial lands are among those best adapted.

Forty feet apart each way, a total of twenty-seven trees per acre, if set in rectangles, is about right for most soils, except those which are very heavy and rich. On the latter type, the distance apart for the trees should be increased considerably.

As stated above, it is best to grow the ordinary farm crops among the trees. A strip 5 or 6 feet wide on each side of the trees should not be planted, but this should be cultivated when the crops





Old Frotscher Pecan Trees

As an avenue and shade tree, the Pecan is without a superior. It is a stately tree, long-lived, and a rapid grower when well cared for. A pecan tree can always be used to good advantage when a shade tree is desired.

For years past, we have made a careful study of Pecan growing in different parts of the country and we have confidence in the future of this industry. It has been our constant aim to produce the best trees possible for the grower, and no pains or expense are spared to produce thrifty, vigorous stock, such as we like to plant ourselves and such as we can recommend to our customers.

RICES ON BUDDED PECANS.			100	
2 to 3 feet	\$o 75	\$7 00	\$ 60 oo	\$550 00
3 to 4 feet	85	8 00	70 00	650 00
4 to 5 feet	I IO	10 00	90 00	850 00
5 to 7 feet			120 00	
7 to 9 feet	2 00	17 50		

Curtis. A medium-size Pecan, ovate, with bright, clean shell, marked with a few purplish specks; rounded at the base, pointed at the apex; shell very thin; cracking quality excellent; kernel light yellow, plump and full; rich, sweet, nutty flavor. Quality best. A desirable nut for home use or market; a regular bearer.

Delmas. Size large, ovate; dark gray in color, marked with dark specks and streaks; shell medium thick; cracking quality good; kernel bright yellow; flavor sweet; quality good. The earliest bearing variety with which we are acquainted.

Frotscher. A large, oblong nut, 13/4 or 17/8 inches in length; bright yellowish brown in color with a few purplish black markings; shell very thin, cracking easily. Kernel large, easily removed, full, of good quality. One of the handsomest nuts grown. Tree a vigorous grower, of spreading habit with scaly bark, bears heavy crops. We have been propagating this variety

for years from bearing trees grafted by ourselves with scions cut from the original tree in Louisiana.

Russell. A medium or large-sized nut, 1½ to 1¾ inches long, oval and pointed, grayish brown with numerous small purplish black markings. Shell very thin, of excellent cracking quality; kernel plump and of good quality. This variety is a good grower with small, clean foliage. Bears well and is very satisfactory.

Schley. Size medium to large, 1½ to 1½ inches long; oblong, somewhat flattened; light reddish brown with a few small markings of purplish brown; shell thin, separating easily from the kernel; kernel full, plump, bright yellowish brown in color; flavor rich, nutty, in quality, one of the best. Tree a good grower and on the whole a very excellent variety.

Stuart. Nuts large or very large, 1¾ to 2 inches, long, oblong with brownish shell strongly marked with color. Shell of medium thickness and of very good cracking quality. Kernel






Deciduous Fruits

full, plump, brightcolored. In quality one of the best, the flavor being rich and sweet. A heavy bearer. Tree a strong grower.

Teche. Size medium to large, oblong; grayish brown in color, with a few dark streaks; base and apex rounded; shell medium thick; cracking quality very good; kernel full, plump sutures broad and rather deep; quality good. A seedling of Frotscher.



Van Deman.

Large to very large, from ½ to 2½ inches long, rather slender, pointed at both ends. Color reddish brown with purplish brown markings. Shell of medium thickness; cracking quality

excellent. Kernel full and plump, bright brownish yellow; flavor sweet and good. Tree is vigorous, healthy, with large bright foliage. Altogether one of the most desirable varieties.

The Pecan and Its Culture. By H. HAROLD HUME

The revised, second edition of this book has been almost entirely rewritten. New material and new illustrations have been added. It is thoroughly practical, up-to-date, and contains the information needed by every grower of Pecans. The pages have been increased to 220. Cloth bound, post-paid, \$1.50.

SEEDLING PECANS

We have seedling trees grown from large, selected nuts from our own bearing trees. While we do not recommend the planting of seedlings, it is better to plant them than not to plant Pecans at all.

JAPAN WALNUT

The Japan Walnut is well worthy of a place in every planting, and no home orchard should be without a few trees. Plant on well-drained land,—a sandy or clay loam with a clay foundation is well adapted. The tree is a vigorous grower and comes into bearing early. They are low and spreading, reaching a height of 15 or 20 feet, with a spread of branch of about the same distance. Nuts are borne in clusters of fifteen to twenty. They have rather thick shells, with sweet, plump kernels of very fine quality.

PRICES ON JAPAN WALNUTS FROM SEED.		Per 10
I to 2 feet	\$0 25	\$2 00
2 to 3 feet	30	2 50
3 to 4 feet	40	3 50

ALMONDS

PRICES ON ALMONDS.—On Peach stock.	Each	Per 10
I-year, 2 to 3 feet	\$0 20	\$1 50
T-vear 3 to 4 feet	25	2 00

Not certain bearers in the South, and are not recommended except for garden planting. We offer two of the finest varieties, Sultana and Princess, soft-shelled Almonds of commerce.

Deciduous Fruits

PEACHES

For twenty-eight years we have been studying Peaches. During this period, we nave originated and introduced a large number of different kinds. We have throughout this period been growing nursery trees, and the trees which we are producing for our customers are better than ever before. Our land is particularly adapted to the growing of fine Peach stock, and we are able to offer our customers the best trees that can be produced. They are well-grown, true to name,—in short, "Quality trees" of the very best strains.

Varieties of Peaches should be carefully selected, to have them adapted to the section where they are to be planted. This done, good trees planted on new land with good drainage, and carefully cultivated, they bring quick returns, and are among the most satisfactory fruits that can be

grown either for home use or for the market.

The types of Peaches are as follows: Persian, commonly planted in the North. Northern Chinese, which includes Elberta and related varieties, generally planted in the cotton-belt; well adapted to western Florida. Spanish, native varieties that have originated in Florida and on the Gulf Coast; adapted to the latitude of northern Florida. Honey, comprising the Honey and its seedlings, adapted to northern Florida, southern Georgia and westward around the Gulf. Peen-to, comprising the original Peen-to and the varieties originated from it; well adapted to Florida, tropical and subtropical regions. Jewel, is the most important commercial variety in the group. Oriental Bloods, Red Ceylon, adapted to the same range as Peen-to, and Japan Dwarf Blood to the same territory as the Honey Peach.

PRICES ON PEACHES.				1,000
I-year, small size, 2 to 3 feet				
I-year, medium size, 3 to 4 feet	. 15	I 20	10 00	75 OO
1-year, standard size, 4 to 6 feet.	. 20	I 50	12 00	90 0 0

LIST TO AID SELECTION

In assigning varieties to districts of wide area, there will be local exceptions, but the following lists are based on many years of somewhat extensive planting, experimenting, research and observation, and are as nearly accurate as we know how to make them.

SUCCESSION OF RIPENING.—The terms "very early," "early," "midseason" and "late," in the following list (as indicated to the right of each variety by the abbreviations "VE," "E," "M," "L") indicate the comparative ripening time of the variety.

EXPLANATION OF LIST—The varieties best adapted and most valuable for market in a particular section are printed in capitals, thus: "ANGEL." Varieties next in order of merit are printed in small capitals, thus: "CLIMAX." Other varieties recommended are printed in lower-case type, thus: "Countess."

LIST A.—Peaches for South Florida, West Indies and Other Subtropical and Tropical Sections

ANGEL	E.	FLORIDA GEM	E.	PEEN-TO	VE.
BIDWELL'S EARLY	VE.	GENERAL HARRISON	\mathbf{M} .	Powers' September	L.
BIDWELL'S LATE	E.	Gibbons' October	L.	RED CEYLON	VE.
Cabler's Indian	$\mathbf{M}.$	HALL'S YELLOW	Ē.	SUBER	$\overline{\mathrm{VE}}$.
CLIMAX	E.	Honey	E.	TABER	E.
Colon	E.	IMPERIAL	E.	TRIANA	$\mathbf{E}.$
Countess	\mathbf{M} .	Japan Dwarf Blood	VE.	Victor	VE.
DOROTHY N.	M.	ĬĔWEL	VE.	Victoria	L.
Estella	L.	MAGGIE	VE.	WALDO	$\overline{\mathrm{VE}}$.
Florida Crawford	M		, 25.	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, 2.

LIST B.-Peaches for Eastern North Florida

Admiral Dewey	VE.	Countess	\mathbf{M}_{\star}	FRANCES	\mathbf{M} .
ANGEL	E.	DOROTHY N.	M.	GENERAL HARRISON	M.
BIDWELL'S LATE	E.	ESTELLA	L.	GIBBONS' OCTOBER	Ĺ.
Cabler's Indian	Μ.	Everbearing	E. to L.	HALL'S YELLOW	E.
CLIMAX	E.	FLORIDA CRAWFORD	\mathbf{M} .	HONEY	E.
COLON	E.	FLORIDA GEM	E.	IMPERIAL	$\mathbf{E}.$





Deciduous Fruits

List B, continued

Japan Dwarf Blood JEWEL	VE.	POWERS' SEPTEMBER	L. VE.	TRIANA	E.
JEWEL WEL	VE.	SUBER	VE.	VICTOR	VE.
Onderdonk	М.	TABER	E.	VICTORIA	L:
Pallas	. E.	Thurber	M.	WALDO	VE.
Peen-to	VF				4.

LIST C.-Peaches for West Florida and Lower Georgia, Alabama and Mississippi

Admiral Dewey	VE.	Everbearing	E. to L.	MATTHEWS' BEAUTY	L.
ALEXANDER	VE.	Fleitas	E.	MAYFLOWER	VE.
Angel	E.	FLORIDA CRAWFORD	M.	Onderdonk	\mathbf{M}_{\cdot}
BEAUTY'S BLUSH	V.	FLORIDA GEM	E.	PALLAS	E.
BELLE OF GEORGIA	M.	FRANCES	M.	Powers' September	L.
CABLER'S INDIAN	M.	GENERAL LEE	M.	SNEED	VE.
CARMAN	E.	GIBBON'S OCTOBER	L.	TABER	E.
CHINESE CLING	M.	GREENSBORO	VE.	THURBER	\mathbf{M} .
CLIMAX	E.	HONEY	E.	Triana	E.
COLON	E.	IMPERIAL	E.	TRIUMPH	VE
Countess	M.	Japan Dwarf Blood	VE.	VICTOR	VE.
CRAWFORD'S EARLY	E.	JESSIE KERR	VE.	VICTORIA	L.
CRAWFORD'S LATE	M.	Jewel	VE.	Waddell	E.
ELBERTA	$\mathbf{M}.$	MAMIE ROSS	E.	Waldo	VE.
ESTELLA	L.			•	

LIST D.-Peaches for Coastwise Texas and Louisiana

Admiral Dewey	VE.	ESTELLA	L.	MATTHEWS' BEAUTY	${f M}$.
ALEXANDER	VE.	Everbearing	E. to L.	ONDERDONK	\mathbf{M} .
ANGEL	E.	Fleitas	E.	OVIEDO	E.
BEAUTY'S BLUSH	E.	FLORIDA CRAWFORD	M.	PALLAS	E.
BELLE OF GEORGIA	$\mathbf{M}.$	FLORIDA GEM	E.	Powers' September	L.
BIDWELL'S LATE	E.	FRANCES	\mathbf{M} .	SNEED	VL.
CABLER'S INDIAN	M.	GENERAL LEE	M.	TABER	E.
CARMAN	E.	GIBBON'S OCTOBER	L.	THURBER	\mathbf{M} .
CHINESE CLING	$\mathbf{M}.$	GREENSBORO	VE.	TRIANA	$\mathbf{E}.$
CLIMAX	E.	Honey	E.	TRIUMPH	VE.
COLON	E.	IMPERIAL	E.	VICTOR	VE.
Countess	$\mathbf{M}.$	Japan Dwarf Blood	VE.	Victoria	L.
Crawford's Early	E.	JESSIE KERR	VE.	Waddell	E.
Crawford's Late	$\mathbf{M}.$	JEWEL	VE.	Waldo	VE.
ELBERTA	\mathbf{M}_{\bullet}	MAMIE ROSS	E.		

LIST E.—Peaches for Other Sections of the United States

Adapted to most of the Peach sections of the country outside of the regions previously listed.

Tradpoor to trade				province province	110000
Admiral Dewey	VE.	ELBERTA	M.	Matthews' Beauty	\mathbf{M} .
ALEXANDER	VE.	Estella	L.	Onderdonk	M.
Beauty's Blush	E.	Everbearing	E. to L.	Pallas	E.
Belle of Georgia	M.	FLEITAS	E.	Powers' September	L.
Cabler's Indian	M.	Florida Gem	E.	SNEED	VE.
CARMAN	E.	FRANCES	M.	Taber	E.
Chinese Cling	M.	GENERAL LEE	M.	THURBER	$\mathbf{M}.$
Climax	E.	Gibbons' October	L.	Triana	E.
Colon	E.	GREENSBORO	VE.	TRIUMPH	VE.
Countess	$\mathbf{M}.$	Imperial	E.	VICTOR	VE.
CRAWFORD'S EARLY	E.	JESSIE KERR	VE.	Victoria	L.
CRAWFORD LATE	$\mathbf{M}.$	MAMIE ROSS	E.	Waddell	E.

VARIETIES OF PEACHES DESCRIBED

The abbreviations in parentheses below, following the names of varieties, indicate the race to which they belong. Thus, (Sp.) means that the variety belongs to the Spanish race; (Per.), to the Persian race; (N. C.), Northern Chinese; (Hon.), Honey; (P-to), Peen-to; (O. B.), Oriental Bloods. The dates given for the usual time of ripening are based on northern Florida.



Angel Peaches

Admiral Dewey. (Per). Fruit of good size; skin deep orange-yellow, with crimson cheek; flesh clear yellow to the stone, juicy, melting, vinous; quality very good. June 1 to 10.

Alexander. (Per.) Large; highly colored; flesh greenish white, juicy, vinous, of fair quality; cling one of the earliest of the Persian type. About June 1.

Angel. (P.-to.) Large, rounded, slightly pointed; color yellow, washed with red, very handsome; flesh white, sweet, melting, juicy, subacid, of exquisite flavor, entirely lacking in bitter almond flavor; freestone. The tree bears while young, and is very prolific. It blooms a month later than Peen-to, thus escaping injury from frost in many sections. Highly recommended. June 20 to 30.

Belle of Georgia. (N. C.) Very large; skin white, with red cheek; flesh white, firm and of excellent flavor; fruit uniformly large and showy; free. Rapid grower, prolific. July I to 15.

Bidwell's Early. (P.-to.) A seedling of the Peen-to. Shape roundish oblong, with short, recurved point; size medium; skin creamy white, washed with carmine; flesh fine-grained melting, juicy and sweet, with slight noyau flavor; clingstone. Matures about the same time as Peen-to, but continues during a longer period; one of the most satisfactory Peaches to grow.

Bidwell's Late. (P.-to.) A seedling of Peento, originated at Orlando, Fla., and the best of the "Bidwell" varieties. Shape nearly round; size large; color yellowish white; flesh finegrained, sweet and juicy; clingstone. Matures about three weeks later than Peen-to. Quality excellent. This has proved a sure bearer farther north in Florida than most other varieties of the same origin, and is one of the most desirable sorts.

Cabler's Indian. (Sp.) Medium size; skin mottled in shades of deep purple; flesh purple, with deeper purple veins; rich subacid; cling; very fine. Of Texas origin, and decided Indian type. July 15 to 25.

Carman. (N. C.) Of large size, resembling Elberta in shape; skin creamy white or pale yellow, with deep blush; flesh tender and of fine flavor; juicy freestone. Prolific bearer and profitable market variety. June 10 to 20.

Chinese Cling. (N. C.) Very large, globular; skin yellowish white, sometimes washed with red; flesh white, red at the stone, rich, vinous, excellent. Ripens July 5 to 15.

Climax. (Hon.) A seedling of the Honey, which it resembles, but larger and about ten days later. Fruit medium size, round, slightly oblong with a recurved point; pale yellow, washed with red; flesh yellowish white, melting, sweet and sprightly; quality excellent; freestone. Vigorous grower and heavy bearer. June 25 to July 5.

Colon. (Hon.) Large, roundish oblong; skin white, overspread with red; flesh white, streaked with red, sometimes almost solid red; very juicy, subacid, high-flavored, delicious; freestone. Remarkable among Honey derivatives for its snap and tone. Good grower and prolific. Introduced by ourselves in 1893-94. June 15 to 25.

Countess. (Sp.) Large to very large, nearly round; skin white; flesh white, tender, melting, juicy, vinous; excellent; free. Tree a very strong grower. Ripens July 15 to 20.

Crawford's Early. (Per.) Large; yellow, red cheek; flesh yellow, juicy and rich; free. A valuable market variety for northern and central United States peach-growing sections. End of June.





Deciduous Fruits

Crawford's Late. (Per.) Large; skin yellow, with red cheek; flesh yellow, fine quality; free. An old and very popular variety for marketing or canning. Last of July.

Dorothy N. (P.-to). A seedling of Angel, and a very handsome Peach, of large size and fine quality. Shape nearly round, flesh yellow; rich subacid, of excellent flavor. It bears well, and is a valuable variety for Southern Florida. July 5 to to 15.

Elberta. (N. C.) Very large; yellow, with red cheek; flesh yellow, juicy and high-flavored; free. One of the finest and most valuable varieties, and perhaps more largely planted than any other one variety in America. Succeeds in west Florida and throughout a wide range of territory northward, but not in south Florida. July 5 to 20.

Estella. (Sp.) Almost round, very large; skin yellow or greenish yellow, with full red cheek; flesh yellow; freestone. Tree vigorous and very productive. Originated in west Florida Ripens September I to IO, just when there is but little southern fruit in market.

Everbearing. (Sp.) Commences to bear about July I and produces successive crops until about September I. The fruit is creamy white, mottled and striped with light purple and pink veins; oblong shape, tapering to the apex. Flesh white, with red veins; very juicy, vinous and of excellent quality; freestone. Not recommended for commercial planting.

Florida Crawford. (Sp.) Large, roundish oblong; suture distinct, but shallow; skin yellow, red cheek; flesh yellow, juicy, melting, of rich, vinous flavor; quality best; free. A good canning Peach. July 15 to 25.

Florida Gem. (Hon.) A Honey seedling of large size; roundish oblong, pointed; highly colored; flesh sweet, rich, juicy, red at the stone; very fine; free. One of the most valuable market varieties of Honey strain. July I to IO.

Frances. (N. C.) Large size, with ridge on one side, which terminates in point at blossom end. Color of skin almost entirely red; flesh greenish yellow, slightly red at pit; quality first-class; free. Ripens just after Elberta.

General Harrison. Originated by Mr. C. W. Harrison, Cocoa, Fla. Size medium to large; shape somewhat like Honey seedlings but without long point. Color light yellow, overlaid beautifully with red. A very handsome Peach. Flesh white. Quality good. Cling. Heavy bearer and good grower. July.

General Lee. (N. C.) Very large; skin creamy white, shaded with red; flesh juicy and

highly flavored; quality best; cling. A good market variety. July 5 to 15.

Gibbons' October. (Sp.) A medium to large freestone, in quality unexcelled by any extremely late Peach that ripens this far south. A native seedling. Tree vigorous and handsome. September 25 to October 15.

Greensboro. (Per.) Originated in North Carolina and is being extensively planted in the central South. Of good size, nearly round; skin highly colored, bright red over yellow; flesh white, very juicy, and of fine quality. Semicling. A very valuable early market variety. Ripens about June I.

Hall's Yellow. (P.-to.) Large size, nearly round; yellow washed with red; flesh yellow, red at stone, from which it parts freely. Quality good. Ripens middle to latter part of June.

Honey. (Hon.) Medium size, oval, compressed, with deep suture on one side, extending more than half way round, and terminating in a sharp, peculiar, recurved point; skin whitish yellow, washed and marbled with red in the sun; flesh creamy white, fine, juicy, melting with peculiar honeyed, rich, sweet flavor; quality excellent; free. June 5 to 20.

Imperial. (Hon.) Very large, roundish, oblong; skin greenish yellow, washed with red; flesh white, sweet, juicy, of excellent flavor and good tone; quality best; free. Originated by ourselves. June 25 to July 5.

Japan Dwarf Blood. (O. B.) A blood freestone of good size and appearance and fair quality. Ripens earlier than Alexander. A dwarf-growing stocky tree.

Jessie Kerr. (Per.) A freestone, larger and earlier than Alexander, which it resembles in tree and fruit. Preferrred to the latter by many orchardists. Adapted to the same sections as the Alexander.

Jewel. (P.-to.) Medium to large; rounded to oblong; highly colored, red on exposed parts; flesh yellow, red about the pit, juicy, melting, sweet; excellent quality; freestone. Ripens about two weeks earlier than Waldo. A good shipper; tree very vigorous and healthy. This is the most valuable market variety for southern Florida and all tropical and sub-tropical regions. It stands without an equal as the commercial market variety for these sections.

Maggie. (P.-to.) Size medium; roundish oblong; skin yellowish white, washed with carmine; flesh fine-grained, sweet, juicy and melting; sub-cling. Ripens about with the Peen-to. Very much like Bidwell's Early in appearance, time of ripening and other qualities.

GLI

GLEN SAINT MARY NURSERIES



Deciduous Fruits

Mamie Ross. (N. C.) A seedling of the Chinese Cling, which it much resembles. Fruit almost as large as the Chinese Cling; white, nearly covered with delicate carmine; flesh white, juicy and of good quality. A regular and prolific bearer. Popular throughout Texas, where it is esteemed the finest early cling. June 15.

Matthews' Beauty. (N. C.) The fruit is of large size, shaped similar to Elberta, but a little longer; skin golden yellow, streaked with red; flesh firm, yellow and of excellent flavor. Ripens two or three weeks later than Elberta.

Mayflower. (Per.) Large; well colored; red all over; of fine quality; cling. A very promising variety. Its earliness, high color and excellent quality are strong points in its favor. Ripens four or five days earlier than Sneed.

Onderdonk. (Sp.) Large; skin and flesh yellow; very juicy and sweet. Free. Originated in Texas. Possesses a valuable combination of quality, appearance and productiveness. A good midseason variety. Last of July.

Pallas. (Hon.) Good size, nearly round; deep red, dotted with salmon and tipped with light yellow at the base and apex; flesh white, fine-grained, melting, with a rich vinous aroma; quality excellent; free. Seedling of Honey. Succeeds well along the Gulf coast from Florida to southern Texas. June 20 to 30.


Peen-to. (P.-to.) A curiously formed Peach, flattened at both ends, with pit of the same

shape; color greenish white, washed with red on exposed parts; flesh light yellow, sweet, rich, juicy, of good flavor, with a slight bitter-almond flavor; cling, with very small pit. Succeeds well in southern Florida. This variety and its seedlings are among the most tropical varieties of Peaches. Ripens in northern Florida May 20 to June 3.

Powers' September. (Sp.) Fruit of medium size and good quality; flesh white, free. The tree is a good grower. A native variety of value on account of its lateness. Sept. I to 15.

Red Ceylon. (O. B.) A good-sized fruit of dull green color; flesh blood-red to the stone, from which it separates freely. It is not first-class to eat out of hand, as it is too acid to suit most tastes, but it is a most excellent fruit for cooking, being possessed of a peculiar flavor when cooked, suggesting prunelles. This Peach is as unique in its way as the Peen-to and of an even more semi-tropical character. Tree a heavy and annual bearer in south Florida, and fruits well in Cuba.

Sneed. (N. C.) Very early, averaging eight to ten days earlier than Alexander. Fruit of medium size, somewhat oval in shape; color creamy white, with rich, red blush on sunny side; ripens evenly to the pit; flesh white, very free and juicy; semi-cling. Of fine quality and not subject to rot, as are so many of the early varieties. A seedling of the Chinese cling, it has the vigor of its parents in tree growth and fruit-buds.







Deciduous Fruits

Suber. (P.-to.) Seedling of the Peen-to, originated at Lake Helen in southern Volusia county It has been quite extensively grown for shipment by the growers of Lake Helen, by whom it is highly esteemed. Its description is not materially different from Bidwell's Early, except that it is larger, firmer and a little more acid than the latter. The tree is a vigorous grower and a satisfactory bearer, and the fruit brings a high price in market.

Taber. (Hon.) Large, roundish, oblong, pointed; skin white, overspread with red; flesh white, streaked with red; firm, very juicy, rich subacid; of fine quality; cling. A seedling of Honey, a heavy bearer. Valuable for canning. June 15 to 25.

Thurber. (N. C.) Large to very large; skin white, with light crimson mottlings; flesh juicy; vinous and of delicate aroma; texture exceedingly fine; free. Resembles Chinese Cling in size and color. Middle of July.

Triana. (Hon.) Medium to large, roundish oblong, slightly pointed; skin white, overspread with red; flesh white, with red markings, rich, juicy, very sweet and of remarkably fine flavor; freestone. We consider this variety, originated and introduced by ourselves several years ago, as one of the very best varieties originated from the Honey. Ripens June 25 to July 5.

New Freestone Peach, Glen

On the back of last year's catalogue we gave an illustration in actual natural colors of this valuable new Peach, which originated on the farm of one of our employees near the nurseries. It is a large oval Peach, a Peen-to-Honey cross, measuring $2\frac{1}{4}$ to $2\frac{3}{4}$ inches in length, blunt pointed, yellow, with deep suture, dotted and washed with strong red; in fact, practically red all over; skin tough and casily removed; flesh light yellowish,


red about the pit, firm; shipping quality good. Season June to 15. It is one of the largest-fruited varieties adapted to the state, with which we are acquainted, and its high color and good keeping quality make it highly desirable.

 Triumph. (Per.) Ripens with Alexander, blooms late. The tree makes a strong growth, bears young, and yields abundantly. The fruit is of large size, with very small pit, skin yellow, nearly covered with red, dark crimson in the sun. Flesh bright yellow, free when fully ripe, and of excellent flavor.

Victor. (N. C. and Sp.) Fruit medium to large, of pleasant subacid flavor; semi-cling. The tree is a vigorous, compact grower, and a heavy annual bearer. The originator claims that it is uniformly ten days earlier than Sneed, which makes it undoubtedly the earliest variety in existence. Texas origin. May 8 to 16.

Victoria. (Sp.) Very large, nearly round; skin yellow; flesh yellow, juicy, sweet and of excellent flavor; free. One of the best varieties of native origin, well worthy of a place in every southern Peach orchard. Valuable for cooking and canning. August 5 to 10.

Waldo. (P.-to.) Size medium, round, oblong, highly colored, light yellow, dark red on exposed parts. Flesh yellowish white, red at the stone, juicy, melting, sweet, of excellent quality, freestone. Ripens with Peen-to. It is a free and regular bearer. Very valuable for Florida. Mexico, gulf sections of Texas and Louisiana, and has given very good satisfaction in the West Indian Islands.







Deciduous Fruits

PLUMS

In the extreme South, particularly in central and south Florida, southern Texas, and, in fact; all along the Gulf coast, the pure-bred Japanese varieties have not been good bearers, consequently were not generally profitable. But cross-bred varieties—Japanese varieties crossed with native varieties—have proven heavy annual bearers. These cross-bred varieties have made commercial Plum-growing not only possible, but worthy the attention of fruit-growers even in South Florida and northern Mexico. Of these cross-bred Plums, we can heartily recommend Excelsior, McRea and Terrell. These are excellent kinds and heavy bearers.

PRICES ON PLUMS.—On Marianna Plum stock.		Per 10	
I-year, small size, 2 to 3 feet			
I-year, medium size, 3 to 4 feet	. 20	1 70	12 00
I-year, standard size, 4 to 6 feet	. 25	2 00	16 00
1-year, extra size, 6 feet up	. 30	2 50	20 00



Branch of Excelsior Plums

Abundance. Medium to large; round, with pointed apex; skin greenish yellow ground, overlaid with dull purplish carmine; flesh light greenish yellow, juicy, sweet, with a touch of subacid and slight apricot flavor; pit small; cling; quality best. Strong grower, prolific. This is one of the most popular and profitable early sorts in the Plum-growing sections of the North, and in a wide area of the lower South.

Bartlett. New. We obtained this variety direct from Mr. Burbank. He describes it as follows: "Bartlett is the king for flavor; it out-Bartletts the Barlett pear in exquisitely perfumed flesh; bears when two years old."

Burbank. The fruit is usually from 5 to $5\frac{1}{2}$ inches in circumference, varying less in size than the other Japanese Plums; it is nearly globular; clear cherry-red, sometimes showing yellow dots, or even marbled with a thin lilac bloom;

flesh deep yellow, firm and meaty, rich and sugary, with a peculiar and very agreeable flavor; cling. Tree unusually vigorous, with strong, upright shoots and large, rather broad leaves. Very popular both North and South.

Chabot. Fruit large about 2 inches, in diameter, oblong-conical; skin pink-red, with many very fine gold 'dots; flesh yellow, very solid, rather acid; quality very good; cling.

Excelsior. This variety, originated by ourselves in 1887 and first offered to the public in the winter of 1891-92, is worthy

of extended notice. The tree is a remarkably rapid, strong grower and bears annually and abundantly. Fruit medium to large, 1½ inches in diameter nearly round, no suture; color deep, solid, wine-red, with heavy light bluish bloom; stem short, skin firm and without astringency; flesh firm, yellowish, with reddish color near the pit; qual-

ity fine; clingstone. The earliest Plum to ripen in Florida; about June 1. Very handsome; fine shipper.

After many years of experimenting with numerous varieties of Plums, we do not hesitate to say that Excelsior and Terrell are the most satisfactory varieties for planting throughout the length and breadth of Florida, and throughout the Gulf-coast country, westward to the Rio Grande river. While adapted to this extreme range of latitude, we particularly recommend them for the extreme South, as it is to the semi-tropical climates that a lesser number of fine varieties are adapted.

Kelsey. Fruit very large, from 7 to 9 inches in circumference, heart-shaped, long-pointed, often lopsided, with deep, furrow-like suture; skin greenish yellow, sometimes overspread with bright red, with a lovely blue bloom; showy; flesh light yellow, firm, meaty; quality excellent; free. Bears heavily, coming in young.





Deciduous Fruits

Persian Purple-leaved (Prunus Pissardii). Fruit medium to large, round; crimson inside and out; quality good, possessing a very decided cherry flavor; ornamental. June. Most desirable of the purple-leaved trees, retaining its vivid purple foliage until late in the season.

Red June (Red Nagate). Fruit medium to large, cordate and very prominently elongated; at the apex; suture deep, generally lop-sided; deep vermilion-red all over, with a hand-some bloom; very showy; flesh light yellow or whitish; firm, slightly subacid to sweetish, of good, pleasant quality; cling to half-cling; pit small. Tree vigorous, productive.

Satsuma. Fruit, medium to large, broadly conical, with a blunt, short point, suture very deep; skin very dark and dull red all over, with greenish spots and an under-color of brown-red; firm, very juicy; quality good; free. Flesh firm and solid, keeps in fine condition after being picked. Fine for preserving, and a grand keeper.

Wickson. Large, deep maroon-red; of the Kelsey type. Oblong-pointed; flesh firm, deep amber-yellow, clinging to the small pit. Of first quality. An excellent keeper. A good grower spections in the north also good in lower South




Terrell Plum (see page 22)

quality. An excellent keeper. A good grower and heavy bearer. Valuable in the Plum-growing sections in the north, also good in lower South.

New Hybrid Plum, McRea

We are introducing to our customers, this season, a new hybrid Plum—McRea, which we believe to be well worthy of extensive planting. The tree is vigorous, a heavy annual bearer. The



New Hybrid Plum. McRea

fruit is of medium size, 1½ to 1½ inches in diameter, flattened, oblique at the apex, yellow in color, washed with dull red on the exposed parts, thickly dotted with small, light-colored dots. Bloom delicate and bluish in color. Flesh yellow, firm, becoming juicy; good shipper. Flavor subacid and quality very fine. Said to be a seedling of Kelsey. Ripens June 10 to 15 or later.

The McRea Plum origiated near Lake City, Columbia county, in northern

Florida, and was first brought to our attention by Mr. J. C. Bates. It is of the same type as Excelsior and Terrell, but quite different in flavor. (It is believed to be a seedling of Kelsey, the variety which more than any other has given us splendid seedling plums. The tree is a strong grower, and bears well.

PRICES ON McREA PLUM.		Per 10	
I-year, small size, 2 to 3 feet			
I-year, medium size. 3 to 4 feet			
I-vear, standard size. 4 to 6 feet	40	3 00	20 00



Deciduous Fruits

Terrell Plum

This is probably a seedling of Excelsior. The tree is a strong, healthy grower, very similar in character of growth to Excelsior, and also like Excelsior in that it is a heavy annual bearer. The fruit is of large size, 1½ to 2 inches in diameter, nearly round, slightly ribbed at suture, terminating in blunt point. Color at maturity a beautiful reddish yellow, somewhat mottled, covered with purplish bloom; assumes a wine-red when fully ripe. Flesh greenish yellow, meaty, sweet, toned with sufficient acidity to give a fine flavor, juicy; quality excellent; pit very small; cling-stone. We have no hesitancy in recommending the Terrell as one of the finest, if not the finest variety, for all parts of Florida and the Gulf-coast country.

PRICES ON TERRELL PLUM. On Plum stock.		Per 10	
1-year, small size, 2 to 3 feet			
1-year, medium size, 3 to 4 feet			
I-vear, standard size, 4 to 6 feet	. 40	3 00	20 00

PEARS

Pear-blight, now present in nearly all parts of the country, has proven to be a serious drawback in pear-growing. As a result, the market prices have greatly advanced, and when a crop of Pears is secured it is a paying crop.

By careful attention to pruning, fertilizing, cultivation and selection of varieties, Pears can be grown successfully. Varieties of the Oriental group are best adapted to the lower South, and these are the only ones we offer to the trade. Such varieties as Le Conte, Smith and Magnolia are little troubled by blight, while Kieffer is practically immune when properly cared for.

PRICES ON PEARS.	Each	Per 10	100	1,000
I-year. small size, 2 to 3 feet				
r-year, medium size, 3 to 4 feet	. 20	1 50	12 00	90 00
T-year standard size 4 to 6 feet	25	2 00	T 5 00	T20 00

Garber. Fruit resembles the Kieffer in size, appearance and quality, but the tree is more open in growth. Comes in ahead of the Kieffer. A seedling of the Chinese Sand Pear.

Kieffer. Fruit large to very large; color yellow, with bright vermilion cheek, very handsome; flesh very juicy, brittle, a little coarse but of good quality. September and October. The trees should not be allowed to overbear while young, which they are inclined to do; extremely prolific and very valuable. Supposed cross between the Chinese Sand and the Barlett.

Le Conte. Large to very large, pyriform in shape; skin smooth, pale yellow; when properly handled the quality is good. Early July. The tree is a remarkably vigorous grower, with luxuriant foliage; prolific and an annual bearer. It adapts itself more readily than any other va-

riety to radically different conditions of soil and climate. In sections of the South where few other Pears are satisfactory, Le Conte has found its home. Supposed cross of the Chinese Sand with a cultivated variety.

Magnolia. Described by its introducers as large to very large, slightly pyriform, basin narrow and shallow. Color solid glossy reddish brown. Flavor sprightly and good, a commingling of sweet and sour, agreeable and refreshing. Matures later and keeps better than Kieffer.

Smith (Smith's Hybrid). Uniformily large and perfect, smooth and handsome; similar in form and color to the Le Conte, melting and juicy, with smooth, creamy texture; quality good when properly ripened. Ripens with or ahead of Le Conte. An early annual and prolific bearer. Tree equals the Le Conte in luxuriant growth.

QUINCES

While the Quince does not succeed all over the whole lower South, yet it does well in many localities and should be planted. It naturally prefers a rather moist, loamy soil. We offer two of the best and most noteworthy varieties.

		Per 10
2 to 3 feet, small	\$0 20	\$ 1 50
3 to 4 feet, medium	25	2 00

Orange. Large; golden yellow, with firm flesh and excellent flavor. A strong grower and thrifty variety.

Pineapple. One of Luther Burbank's introductions. Of large size, smooth and rounded. Fine for jelly and cooks tender.





Deciduous Fruits

JAPAN PERSIMMONS

Since its successful introduction into this country in 1875, the Japan Persimmon (Diospyros Kaki) has been slowly but steadily gaining in favor. Since native Persimmon seedlings (Diospyros Virginiana) are used as stocks on which to grow the Japan sorts, they can be grown on as wide a

range of soil as the native Persimmon, and it is not too much to say that they will succeed with the minimum of care and attention with which any fruit may be successfully grown. At the same time, they respond generously to good care and cultivation. The trees are vigorous, prolific and have few enemies. Some varieties are weakened because of their habit of overbearing, and their crop should be thinned. The region in which the Japan Persimmon may be grown covers the cotton-growing belt.

As the fruit keeps and ships well, it can be placed on the market in good condition, though it requires some experience to know just when the different varieties are in best shipping condition. Wherever known in the markets, it meets with ready sale.

A carefully selected list of varieties



Block of Persimmon Trees

will give fruit in abundance from August to December and later. During a very considerable portion of this period other fruit crops are out of season.

Planting and Management

The soil on which the Persimmon orchard is set should be well prepared. Old field land may be used, but, if in poor condition, it should be built up before setting the trees. This can best be done by growing a crop of cow peas or velvet beans on the land and plowing them under pre-


vious to planting.

While Persimmon trees can be set out at any time between November 15 and March 1, in the lower South, preference in planting should be given to the period from December I to February I. They should be given a distance of 18 or 20 feet apart each way, 134 or 108 trees per acre. Great care should be exercised in setting them, and the roots should not be allowed to become dried out. The tops should be cut back to 2 or $2\frac{1}{2}$ feet on the smaller sizes,

Cultivation during the early portion of the season should be frequent and thorough. This may be discontinued about July I or 15, and a cover crop of natural weeds or cowpeas or beggarweed should be allowed to cover the ground. To avoid danger from fire during winter, this should be turned into the soil after it has become dead and dry in autumn. Commercial fertilizers can be used to advantage, and these with the food supplied by the cover crops will keep the trees in thrifty growing condition.



Persimmons Packed for Shipment



Tsuru Persimmons (see page 27)

Marketing Japan Persimmons

The fruit should be gathered when fully grown but before the softening process begins, if it is intended for long-distance shipment. It should be cut from the trees and handled very carefully to prevent bruising. It is usually best, even when the fruit is intended for home use, to gather it before it begins to soften, and ripen it in a dry warm room. The flavor is quite as good as when ripened on the trees.


Immediately after picking, the fruit may be packed for shipment. The best crate is the six-basket carrier commonly used for peaches. Small specimens should be discarded and the fruit should be carefully graded for size. Wrap the fruits in a good quality of fruit wrapping paper and arrange them in the baskets in regular order according to size. If the fruit is sent into a new market a card giving the name of fruit, stating the degree of maturity at which it is best and giving directions on how to use it, should be placed in each crate or better still in each basket. This will prevent attempts at eating it before well ripened and will create a favorable impression of the fruit.

Notes on Varieties

Some of the varieties have dark flesh, others light flesh, still others a mixture of the two. The light and dark flesh differ radically in texture and consistency, as well as appearance, and when found in the same fruit are never blended, but always distinct. The dark flesh is never astringent, the light flesh is astringent until it softens. The dark-fleshed fruit is crisp and meaty, like an apple, and is edible before it matures. Some of the entirely dark-fleshed kinds improve as they soften, like Hayakume and Yeddo-ichi; others are best when still hard, like Zengi and Taber's Nos. 23 and 129. As they are good to eat before they are ripe, it is not so important that the dark-fleshed kinds be allowed to reach a certain stage before being offered to consumers unfamiliar with the fruit. The light-fleshed kinds, and those with mixed light and dark flesh, are very delicious when they reach the custard-like consistency of full ripeness. In some the astringency disappears as the fruit begins to soften, as with Yemon, and in a less degree with Okame and Tane-nashi; in others it persists until the fruit is fully ripe, as with Tsuru. The light-fleshed kinds should not be offered to consumers unacquainted with the fruit until in condition to be eaten. A person who has attempted to eat one of them when green and "puckery" will not be quick to repeat the experiment. The "puckery" substance in the immature Persimmon is tannic acid. As the fruit ripens the tannic acid forms into crystals which do not dissolve in the mouth, and in this way the astringency disappears. Seeds accompany the dark flesh. The light-fleshed kinds are usually seedless. The kinds with mixed flesh



JAPAN PERSIMMON FRUITS (two-thirds natural size)




Hyakume Persimmons

have seeds in proportion to the quantity of dark flesh. Hyakume, Zengi and Hachiya are usually overspread at the blossom end with penciling or network of dark lines, and this sometimes occurs in other kinds.

The first Persimmon to ripen is Zengi, in August; the whole crop does not come on at this time, however, but continues to ripen for sixty days. Nos. 23 and 129 come soon after the first fruits of Zengi, ripening their whole crop together. No. 129, although not a large fruit; is a good shipper, an excellent fruit, and perhaps the best early market sort. Following 23 and 129, early in September, come the first Okames, continuing to ripen for a month. Hyakume ripens from the middle to the last of September, the bulk of the crop ripening together, which is also true of Yemon, which ripens next.

Some fruits of Triumph ripen in September, and it continues to ripen its fruits until December. At any time after the middle of October, the whole crop of Triumph may be removed and ripened



Zengi Persimmons





Deciduous Fruits

off the trees. Tane-nashi ripens with Yemon and Hachiya with Okame, Yeddoichi early in October, Costata later in the month, and Tsuru latest of all, often hanging on the trees until midwinter.

Tane-nashi, Triumph, Okame, Yemon and Yeddo-ichi excel in quality, perhaps in the order named. Okame, on account of its long season, exquisite beauty, and superior quality, is the best for home use and local market. Hachiya is valued for its immense size and showiness. For market, Tane-nashi and Yemon, of the light-fleshed kinds, and Hyakume and Yeddo-ichi, of the dark-fleshed kinds, are good shippers and desirable; Okame is also good. For early market, Taber's No. 129 ranks first, but Taber's No. 23 and Zengi are also desirable. For late market, Costata (this variety is very distinct and handsome in both tree and fruit). For very late market, Tsuru.

Note.—This information on Japan Persimmons will not appear in our Catalogue next year, and

as the edition of this catalogue is limited it should be preserved.

				100	
Medium size, 2 to 3 feet\$0					
Standard size, 3 to 4 feet	25	2	00	17 00	140 00
Large size, 4 to 5 feet					
Extra size, 5 to 7 feet	40	3	00	25 00	200 00
We can supply all varieties listed, except Triumph in well-branched,					
2-year size	50	4	00	35 00	

VARIETIES DESCRIBED

Costata. Medium size, conical, pointed, somewhat four-sided; diameter $2\frac{1}{8}$ inches longitudinally and $2\frac{5}{8}$ inches transversely; skin salmon-yellow; flesh light yellow, dark flesh and

seeds occurring seldom; astringent until ripe, then very fine; one of the latest to ripen; a good keeper. Tree distinct; a rapid, upright grower; foliage luxuriant.

Hachiya. Very large, oblong, conical, with short point; very showy; diameter 3³/₄ inches longitudinally and 3¹/₂ inches transversely; skin dark bright red, with occasional dark spots or blotches and rings at the apex; flesh deep yellow, sometimes having occasional dark streaks, with seed. Astringent until ripe, then very fine. The largest and handsomest of all. Tree vigorous and shapely.

Hyakume. Large to very large, varying from roundish oblong to roundish oblate, but always somewhat flattened at both ends; generally slightly depressed at the point opposite the stem; diameter 2 ¾ inches longitudinally and 3 ½ inches transversely; skin light buffish yellow, nearly always marked with rings and veins at the apex; flesh dark brown, sweet, crisp and meaty, not astringent; good while still hard. Of good growth and a free bearer.

Okame. Large roundish oblate, with well-defined quarter marks, point not depressed; diameter 23/8 inches longitudinally and 31/8 inches transversely; skin orange-yellow, changing to brilliant carmine, with delicate bloom and waxy, translucent appearance; light, clear flesh

when ripe, with light brown center around the seeds, of which it has several; loses its astringency as soon as it begins to ripen; quality fine. Tree vigorous and a good bearer.



Tane-Nashi Persimmon Tree



Deciduous Fruits

Taber's No. 23. Medium, oblate, flat or depressed point; 1½ inches by 2¾ inches; skin rather dark red, with peculiar stipple marks; flesh dark brown, sweet and free from astringency; seedy; good. Prolific.

Taber's No. 129. Medium roundish, flattened at base; has a small but well-defined point at the apex; diameter about 23/8 inches both ways; skin dark yellow-red, with peculiar roughened surface, somewhat resembling alligator leather; flesh light brown, crisp, sweet, free from astringency; excellent; a good keeper and shipper. Vigorous, prolific, regular bearer.

Tane-Nashi. Large to very large, roundish, conical, pointed, very smooth and symmetrical; diameter 3½ inches longitudinally and 3½ inches transversely; skin light yellow, changing to bright red at full maturity; flesh yellow and seedless; quality very fine; perhaps the most highly esteemed of the light-fleshed kinds. Tree is vigorous and bears well. One of the most desirable market varieties.

Triumph. Medium, tomato-shaped; skin red; flesh yellow; generally has a few seeds; very productive; quality of the best. Ripens from September until December.

Tsuru. Large, slender, pointed; longest in proportion to its size of all; diameter $3\frac{3}{8}$ inches longitudinally and $2\frac{3}{8}$ inches transversely; skin

bright red; flesh orange-yellow, some dark flesh around the very few seeds; astringent until fully ripe, then the quality is good. The latest of all to ripen. Tree vigorous; good bearer.

Yeddo-Ichi. Large, oblate; diameter $2\frac{1}{2}$ inches longitudinally and 3 inches transversely; very smooth and regular in outline, with dinted appearing surface and slight depression at end opposite the stem; skin darker red than most varieties, with heavy bloom; flesh very dark brown verging toward purplish; sweet, rich, crisp; in quality one of the best. Edible when still hard. Tree very prolific and thrifty.

Yemon. Large, flat, tomato-shaped, somewhat four-sided; diameter 2½ inches longitudinally and 3½ inches transversely; skin light yellow, changing to a dull red, mottled with orange-yellow; distinct in color; flesh deep, dull red, brown around the seeds, of which there are usually a few. Some specimens are entirely light-fleshed and seedless; quality fine. In form some of the fruits have the corrugations converging to the depressed apex, but most do not. Tree vigorous and prolific.

Zengi. The smallest of all; round or roundish oblate; diameter 1¾ inches longitudinally and 2¼ inches transversely; skin yellowish red; flesh very dark, quality good; seedy; edible when still hard; one of the earliest to ripen. Vigorous and exceedingly prolific.



Celeste Figs

FIGS

No fruit is more valuable in the southern fruit garden than the Fig. They can be closely planted—
10 to 12 feet apart—and yield heavily. The Fig-canning industry is gradually extending throughout
the South, and since several tons of fruit can be produced on an acre of ground, it is well adapted
to intensive culture. The preserved product put up at the present time in no wise supplies the demand,
and we look for a very material increase in the Fig-canning industry.

The fresh Fig is also finding its way into the markets, and meeting with a ready sale. Care-





Deciduous Fruits

fully picked at the right stage of maturity and packed in strawberry crates, they can be placed by express in distant markets, four or five hundred miles, or even more, in good condition.

Figs come into bearing very early and for that reason commend themselves to the fruit-grower.

PRICES ON FIGS.		Per 10	
Small size, I to 2 feet			
Medium size, 2 to 3 feet	. 20	1 6o	14 00
Standard size, 3 to 4 feet	. 25	2 00	18 00
Extra size, 4 to 5 feet	. 40	3 00	25 00

Blue Genoa. Medium to large size; skin bluish black; quality good. Tree a strong grower and good bearer.

Brunswick. Fruit very large, broadly pear-shaped, with short, rather slender stalk; ribs well marked, eye large, open, with rosy scales; skin tough, dark brown in color; pulp thick, soft, quality very good and a satisfactory variety.

Black Ischia. Size medium to large; color of skin bluish black, almost entirely covered with delicate bluish bloom; quality good; strong grower, heavy bearer and quite hardy.

Celeste. Small to medium pear-shaped, ribbed, violet colored, sometimes shading to purplish brown, covered with bloom about half way up from the neck; stem short, stout. Flesh whitish, shading to rose-colored at center; flesh firm, juicy, sweet, excellent quality. One of the hardiest varieties of Figs, and can be grown far outside of the usual limits of culture; very desirable for canning and preserving.


Green Ischia. Fruit of medium size, long, pulp rosy red, soft melting, quality rich, sweet; a variety of very high quality. A strong grower and should be in every Fig collection.

Lemon. Fruit medium to large, flattened faintly ribbed, color light yellowish green, stem short, stout; flesh white, sweet, quality fair to good, flesh rather soft; ripens during July. Strong grower and very prolific.

Magnolia. Fruit of large size, light colored, handsome, vigorous grower, prolific, excellent for canning; a favorite with Texas planters.

Brown Turkey. Size medium to large, broadly pear-shaped, with short, thick stalk; ribs few in number; color coppery brown, flesh white, or slightly amber-colored, shading to pink about the seeds. Flesh solid, excellent quality. This variety ranks with Celeste in hardiness. It is very hardy and in every way desirable.

White Adriatic. Size medium to large, flattened, slightly turban-shaped, ribs not well marked, eye open, skin thick, color greenish.





Leon Fig

New Fig, Leon

This valuable new Fig originated as a seedling from the seed of a Smyrna Fig planted by Mr. J. W. Coles, of Tallahassee, Fla. The parent tree is large, thrifty and bears annually heavy crops of most excellent fruit. It is recommended for planting throughout the Gulf coast Fig region, and, as it has been grown successfully for a considerable time in western Florida, we are confident it will prove desirable.

Fruit large, 2% x 2 inches, turbinate, largest diameter near the apex, stem short, stout; color yellowish green with light oval dots, brown on parts exposed to sun; scales pink; flesh yellowish white, light amber among the flowers, melting; flavor sweet; quality very good. Leaves large, five-lobed, enlarged upward.

PRICES ON LEON FIG.	Each	Per 10
Medium size, 2 to 3 feet		
Standard size, 3 to 4 feet	40	3 50





Deciduous Fruits

MULBERRIES

While Mulberries are of little value for commercial purposes or table use, there are nevertheless several purposes for which they are admirably suited and of decided value. They form an economic food for poultry and swine, and for tolling birds away from other fruits there is nothing else so effective.

PRICES ON MULBERRIES.—On Mulberry stock.		Per 10	
I-year, small size, 2 to 3 feet	.\$0 15	\$I 20	\$10 00
1-year, medium size, 3 to 4 feet	. 20	1 50	12 00
I-year, standard size, 4 to 6 feet	. 25	2 00	16 00
I-year, extra size, 6 feet up	. 30	2 50	20 00



Stubbs Mulberry

Downing. A subacid berry of good quality; strong, upright grower, with beautiful foliage; valuable as a shade tree, as well as for its fruit.

Hicks. Fruit sweet; tree grows rapidly and bears young; productive; should be grown by every farmer who keeps swine or poultry, this

variety being of special value for this purpose; continues in bearing four months of the year.

Stubbs. Large, black; vinous; excellent; very prolific. The fruit, which is from 1½ to 2 inches long, is greatly superior to that produced by any other of the cultivated varieties; very acid. Tree vigorous and handsome.

Townsend. A new variety, which on account of its extreme earliness we have deemed worthy of propagation. Berries of medium size and fair quality. Brought to our attention by one of our employees of that name, on whose place it had been growing for years. Should be planted where birds are apt to ruin other early fruits. March and April.

Multicaulis (Morus multicaulis). The Silkworm Tree. A very vigorous tree, extensively used for purposes of propagation, for shade and for feeding silkworms.

White. A white-fruited form, vigorous and prolific. Should be generally planted.


GUAVAS

The Guava is a sub-tropical fruit, and quite hardy. Its range of culture is almost the same as the hardy varieties of oranges. The Cattley Guava (*Psidium cattleyanum*) is the hardiest species. We offer two varieties of this hardy sort. The bushes are very handsome, with rather thick, bright green, shiny leaves. The fruit measures ¾ to I inch in diameter or larger. It has a pleasant sub-acid flavor and is very highly esteemed for making jellies and preserves. It is one of the most ornamental of our fruit trees and the plants make handsome lawn specimens.

PRICES ON GUAVAS.—From seed. E.			
I to 2 feet\$o			
2 to 3 feet	40	3	50
3 to 4 feet	50	4	50

Red Cattley. A handsome evergreen shrub, with glossy green leaves, producing large quantities of small, red fruits, I to I 1/4 inches in diameter. It can be grown in northern Florida, the Gulf-coast country and more tropical regions.

Yellow. Identical with the Red Cattley, except that the fruit is yellow instead of being red-fleshed. Both of these varieties are very desirable.



Red Cattley Guavas





Deciduous Fruits

POMEGRANATES

The Pomegranates are very hardy shrubs which can be grown throughout the Gulf states and the coastal sections of Georgia and the Carolinas. The brilliant scarlet flowers are produced in profusion, and the Pomegranates are generally very prolific, and thrive with little care. The fruit is used in making jellies, marmalades and acid drinks. For this latter purpose they are highly esteemed. The fruit has a fresh crispness, delicacy and sprightliness of flavor found in few fruits. The Pomegranate is one of the coming commercial fruits, and the interest in its culture is gradually increasing.

PRICES ON POMEGRANATES.—On own roots.		Per 10	
I to 2 feet	.\$0 25	\$2 00	\$16 00
2 to 3 feet	30	2 50	20 00
3 to 5 feet	. 40	3 50	30 00

Purple-seeded. Large; rind thin; juice-cells surrounding the seeds (the edible portion of the fruit) dark ruby or wine color; sprightly, vinous, and of the best quality.

Rhoda. This variety was brought to our attention by one of our employees, on whose place

it has been growing for some years. We have named it in honor of his wife. The fruit is of large size; rind thin but tough; juice-cells large and of beautiful wine-color; crisp, sweet and of exquisite flavor. One of the best we have ever seen.

LOQUAT

Eriobotrya Japonica, Japanese Medlar, Biwa of the Japanese

The Loquat is a strikingly handsome, large-leaved evergreen tree adapted to the Gulf-coast country and more tropical locations. The leaves are large, dark green and rough; the young shoots woolly. A compact grower, and forms a well-rounded head. It is very desirable as an ornamental.

Nor is it desirable as an ornamental only, for its fruit, which is about the size of a Wild Goose plum, oblong, bright yellow, subacid, has an agreeable flavor and is highly prized for cooking; makes a most excellent jelly.

The white blossoms, borne in spikes, come during the winter months; consequently, while trees are quite hardy all along the Gulf coast, fruit can be counted on only in sections comparatively exempt from severe cold.

PRICES ON LOQUATS.—From seed.

	Łach	Per 10	100
I to 2 feet	.\$0 30	\$2 50	\$20 00
2 to 3 feet			30 00
3 to 4 feet	. 45	4 00	35 00



Loquat fruit

APPLES

While the Gulf region is not recommended for extensive Apple orchards for commercial purposes, yet in localities, particularly in its upper edge, some varieties are successfully grown. Our list embraces those which succeed best further south.

PRICES ON APPLES.		Per 10	
I-year, small size, 2 to 3 feet	.\$o 15	\$I 20	\$10 00
I-year, medium size, 3 to 4 feet	. 20	I 50	12 00
I-year, standard size, 4 to 6 feet	. 25	2 00	16 00
2-year (Jennings only)	. 40	3 50	





Deciduous Fruits

Ben Davis. Medium to large; roundish, truncated; conical; yellowish, overspread, striped and splashed with two shades of red; subacid, of fair quality. A late ripener and good keeper. Widely planted; popular.

Early Harvest. Medium to large; yellow, juicy, tender, of fine flavor. A well-known and

popular variety. Ripens in June.

Horse. Large, rather oval in shape, ribbed, yellow in color; flesh yellow and subacid. Highly esteemed throughout the southern Apple districts as a summer Apple. Excellent for drying and cooking.

Jennings. The Jennings or "Jennings' Florida" Apple succeeds farther south than any other variety, and is unquestionably the variety to plant, as it grows well and yields fair

crops of good apples in sections below the range of this fruit. And throughout the Gulf country westward, including coastwise Texas, where Apples are planted, and the selection is limited to one variety, the Jennings will prove most satisfactory. It has been grown in this (Baker) county many years under the name by which we offer it.

Red Astrachan. Large; crimson, with heavy bloom; flesh crisp, acid and juicy. Ripens in June. The tree is vigorous and bears very young. Is perhaps adapted to a wider range of climate than any other variety.

Red June. Medium conical; deep red; juicy very productive. A beautiful and thrifty tree. One of the best for the lower South, ripening from June 20 to July 15.



Scuppernong Grapes

GRAPES

Grapes of the Muscadine group are native in the southern states and, of all the Grapes which may be grown, they are the best adapted to southern conditions. Generally the clusters are quite small as compared with the bunch Grapes, but the fruit has a fine flavor and is valuable as a table Grape, for making unfermented grape-juice, for jellies and for wine. In Virginia and North Carolina the culture of Muscadine Grapes for wine-making is rapidly becoming an important industry.

Many persons who have planted the Scuppernong Grape have found that their vines, when they reach sufficient size, bloom but set no fruit. We guarantee all our Scuppernong vines to bear fruit as soon as they are well established and have reached sufficient size. If they do not, we will

either replace them or refund the money paid for them.

Quite a number of bunch Grapes are also well adapted to the South. In a number of sections they are grown for market, and there are few localities where a sufficient quantity cannot be raised for home use. We particularly recommend Delaware, Diamond, Ives, Moore's Early and Niagara.





Deciduous Fruits

Muscadine

PRICES ON MUSCADINE GRAPES

			Per 10			
1-year	\$o	15	\$1	20	\$9	00
2-year		20	1	60	12	00
3-years—Eden, I	Flow-					
ers, James, I	Mish,					
Thomas		35	2	50	20	00

Eden. A seedling of the Scuppernong, originated in Georgia. Medium-sized black berries, somewhat acid. A good wine Grape; bears early; very productive.

Flowers. Bunches composed of fifteen to twenty large purplish black berries; sweet, vinous. Good quality. One of the best known and most largely planted varieties of the Muscadine type. August and September.

James. Very valuable, the largest of the Muscadine group; berries often measuring 3/4 to 11/4 inches in diameter; prolific; black, juicy, sweet. Has taken premiums wherever exhibited. Ripens from August until late in the fall.

Mish. The vine is very vigorous and prolific. Berries black, medium to large; sweet. Ripens in August.

Scuppernong. Belongs to the Muscadine type. Bunches composed of eight or ten very large berries, bronze-colored when fully ripe; flesh pulpy, sweet, with peculiar agreeable musky flavor; quality excellent. Aug. and Sept.

Thomas. Belongs to the Muscadine type, and one of the best of its class. Bunches seldom exceed eight or ten berries; color reddish purple; pulp sweet, tender. Aug. and Sept.

Bunch Grapes

PRICES ON BUNCH GRAPES Each		100
1-year\$0 15		
2-year 20	0 1 60	12 00
3-year — Agawam,		
Brighton, Champion,		
Clinton, Diamond,		
Salem	2 50	20 00

Agawam. A strong-growing variety with large bunches of large, dark reddish brown grapes. The fruit is of good quality and flavor.

Brighton. Bunches medium; berries large and reddish; skin thin; a desirable table variety.

Champion. Bunches and berries medium, round, blue-black; vine healthy and vigorous. Very early. Too tender for long shipment.

Clinton. Bunches of medium size; berries round, black, pulpy and juicy. Fruit keeps well. A good grower.

Concord. Bunches and berries very large, blue-black, with bloom; flesh sweet, pulpy, tender, good; vine vigorous. Heavy bearer; desirable for home markets. July.

Delaware. Bunches small to medium; berries small, skin red or pink, and very thin; sweet, juicy, vinous; quality best. One of the best in the South. July.

Diamond. A handsome white grape equal or superior to Niagara in quality, and ten days earlier. Prolific, very thrifty and vigorous. Well suited for culture in the South, both for home use and market.

Ives. Strong grower; very productive; stands shipping well; bunch large; berries large, black, pulpy, sweet, of good quality. A popular wine Grape. Quality much better in the South than in the North. June.


Moore's Early. Similar to Concord in size and shape, but better and earlier.

Niagara. Bunch and berry large; greenish yellow; flesh sweet; quality good. Vigorous and prolific. One of the best for Florida.

Salem (Rodgers' No. 53). Bunch large, compact; berry very large, round, coppery red; flesh tender, juicy, quality best. Ripens with Concord. Vigorous, productive.

Concord. Vigorous, productive.

Wilder (Rogers' No. 4). Bunch large, compact, shouldered; berry large, round, black; flesh tender, juicy, sweet. Ripens about with Concord. Vine vigorous, hardy, good bearer.



Flowers Grapes



ROSES

Roses are the most important flowering shrubs of the South. Nowhere in the country do they develop in such beauty or bloom in such profusion. No garden is complete without its rose-bed,

no planting scheme is perfect which does not provide a place for them.

With few exceptions, the most satisfactory results will be secured by planting Roses grafted on strong-growing roots. Nearly all Roses grown from cuttings are vastly inferior, producing poor, weak plants as compared with grafted specimens. Our Roses are strong, grafted plants, grown in the open field,—the kind of Roses that give satisfaction. In planting, the graft union should be placed two or three inches under the surface of the ground.

CLIMBING ROSES are usually regarded as valuable only for porches or trellises. While useful for these purposes they are often much more satisfactory as bush Roses. Climbing Roses are strong growers; given plenty of room and severely pruned, they produce an abundance of bloom never surpassed and not often equaled by the true bush Roses. The ability of a Rose to bloom depends on its ability to grow and produce new wood.

Roses are derived from a number of different classes. These classes are indicated by initial letters in parentheses immediately following the name of the variety. The key to these classes is

as follows:

Bk., Banksia; Beng., Bengal; Bour., Bourbon; C. B., Climbing Bengal; C. C., Climbing China; C. N., Climbing Noisette; C. T., Climbing Tea; H. C., Hybrid China; H. N., Hybrid Noisette; H. P., Hybrid Perpetual; H. T., Hybrid Tea; Mult., Multiflora; N., Noisette; Pol., Polyantha; P., Prairie; T., Tea; W., Wichuraiana.

This season we have roughly divided our list according to color, to make selections easier.

			. •
PRICES ON ROSES—Grafted on strong-growing stocks.		Per 10	
I-year, strong, open-ground-grown	.\$0 25	\$2 00	\$17 00
2-year, large, strong, open-ground-grown	. 35	3 00	25 00

Red Roses

Agrippina. (Beng.) Crimson. Profuse bloomer, strong grower, fine for bedding.

Bessie Johnson. (H. P.) Red. Silvery on outside of petals. Flowers medium size. Vigorous.

Climbing Wootton. (H. T.) Very large, rather open flowers, beautifully formed; color

bright magenta-red, passing to crimson, richly shaded. A free bloomer, strong grower and a beautiful rose. It gives excellent satisfaction both in growth and flowers. (See illustration on page 36.)

Crimson Rambler. (Pol.) Bright crimson flowers produced in clusters of 30 to 40 each flower being I to 1½ inches in diameter. A very strong-growing climber.





Roses

General Jacqueminot. (H. P.) Crimson, well formed and not surpassed in beauty and brillancy of color. Strong grower and free bloomer for its class.

Giant of Battles. (H. P.) Crimson. Flowers of medium or large size, double and fragrant.

James Sprunt. (C. B.) Deep cherry-red flowers, very full, double and sweet. The cut flowers keep for a remarkably long time in perfect condition. It is a moderate climber, makes a good pillar Rose, and the exceptionally brilliant and beautiful flowers are to be found at all seasons.

Louis Philippe. (Beng.) Rich velvety crimson. While not so valuable for bouquets as some varieties, it is the most showy and satisfactory dark red Rose we have for gardens and grounds It makes a large, vigorous bush, and there is scarcely a time during the entire year when it is not covered with bright red flowers.

Marshall P. Wilder. (H.P.) Flowers very large, perfectly double, and of good substance; color bright cherry-red, shading to crimson. Plant a clean, healthy grower.

Mrs. Cleveland. (H. P.) Dark red or crimson, velvety, well formed, medium to large, fragrant. A good grower.

Papa Gontier. (T.) Outer petals red, inner ones pink. A free-flowering Rose of great merit, with beautifully formed buds and flowers. Very vigorous and one of the best Roses in our collection.

President Lincoln. (H. P.) Crimson, dark and velvety. Strong grower with good foliage, and medium to large flowers.

Pride of Reigate. (P. H.) Crimson, handsomely striped with white, sometimes half crimson and half white.

Prince Albert. (H. P.) Beautifully bright crimson; very large, full and fine.

Reine Marie Henriette. (C. T.) Cherry-red, a pure shade, which does not fade or shade off into undesirable tints; large, double and beautifully formed; somewhat fragrant. This is one of the finest red climbing Roses in our collection and we strongly recommend it. (See illustration, page 37.)

Virginia R. Coxe (Gruss an Teplitz). (H. T.) A bright, dazzling, crimson, with beautiful buds and medium double flowers of large size. A profuse bloomer throughout the whole season. A strong and vigorous grower and should be given plenty of space,

Pink Roses


Anne de Diesbach. (H. P.) A bright clear pink, with large petals, delicately veined. Flowers large and very double. It is a vigorous grower and produces its beautiful flowers in abundance. Sweet scented. A fine variety.

Antoine Mouton. (H. P.) A vigorous grower, bearing flowers of extraordinary size. Bright, clear pink, reverse of petals silvery rose.

Apolline. (Bour.) Light pink, shaded darker on edges, vigorous, free bloomer, flowering in clusters.

Archduke Charles. (Beng.) Brilliant crimson-scarlet, often marked with lighter shades. This is a good grower and very satisfactory variety.

Baby Ram-



Papa Gontier



Roses



Climbing Wootton Rose (see page 34)

produced in dense clusters of two to three dozen. It is always in flower, even in the hot weather of mid-summer, and makes a beautiful mass of bloom. A very desirable Rose.

Bon Silene. (T.) Deep salmon-rose, marked with with carmine; highly scented. Valuable for its buds, which are large and of fine form and color. Very strong and robust in this section; bears profusely the year round. An old favorite.

Bougere. (T.) Light pink, outer surface of petals darker, buds of medium length, free bloomer, strong grower.

Captain Christy. (H. T.) Extra large, flat flowers, very full and regular; the color is a lovely shade of light pink, deeper toward the center. Vigorous, a free bloomer; one of the best in our grounds.

Catherine Mermet. (T.) Pink with the inner surface of the petals lighter colored, good bloomer, well formed buds, medium-vigorous. A good variety.

Climbing Bridesmaid. (C. T.) Somewhat similar to its parent, Bridesmaid; dark pink, variable in color. Strong climber and a splendid variety.

Coquette Bordelais. (H. P.) Pink, large regular flowers, vigorous grower.

Duchesse de Brabant. (T.) Pink, petals deeper colored on outer surface. Buds and flowers globular. Very free bloomer, vigorous and excellent for planting in beds, as the bushes when in bloom are very showy. An old-fashioned garden Rose of great merit.

Heinrich Schultheis. (H. P.) Clear pink, flowers very full and double, of good size. A vigorous grower.

Henry M. Stanley. (T.) Pale pink, edged and mottled deep rose, with a lovely shade of salmonon reverse of petals. Large, double and full.

Her Majesty. (H. P.) Beautiful shade of pink; large, well-formed flowers, sweet scented; very double. A vigorous grower, producing flowers on long stems.



Duchesse de Brabant Rose





Roses

Improved Rainbow. (T.) Pink, petals striped with deeper pink, beautifully marked; full globular buds. An odd and very desirable variety. Sport from Papa Gontier.

Jules Finger. (T.) Dark pink, almost red; good buds; flowers good size; very double. A desirable Rose.

Jules Jurgensen. (C. B.) Old-rose-pink, darker in center, very regular petals. Strong grower; a good climber.

La Grandeur. (T.) Light pink with dark pink veins; inner petals twisted smaller and shorter than outer ones. Flowers in clusters of 5 to 15. Good grower.

La Reine. (H. P.) Dark pink, petals lighter on the outer surface; large-flowered, double and fragrant. Quite vigorous.

Louis Richard. (T.) Pink with salmon shading, petals darker on the outer surface; well-formed buds on long stems. Good grower and bloomer.

Mad. De Vatry. (T.) Pink, outer petals and outer surfaces red or deep pink; vigorous; good bloomer, withlarge, handsome foliage.

Mad. Gabriel Luizet. (H. P.) Pure light pink; regularly formed; large flowers. A good bloomer.

Mad. Lambard. (T.) Pink, darker on outer petals, outer surfaces of petals shaded deeper pink, very vigorous; good bloomer. A satisfactory and desirable variety. We recommend it highly. (See page 38.)

Mad. Philemon Cochet. (T.) Light pink; a free bloomer. Very vigorous and desirable.

Mad. Scipion Cochet. (T.) Pink, edges of petals darker; flowers globular; free blooming; strong grower with handsome bright foliage. Very satisfactory.

Magna Charta. (H. C.) Bright clear pink; very full and double; very vigorous, making a large bush.

Maman Cochet. (T.) Pink with well-formed, long, pointed buds. The open flowers are double and of good size. Very hardy and vigorous.

Mrs. George Paul. (Bcur.) Light pink; good; regular; double flowers. Vigorous; distinct.

Paul Neyron. (H. P.) Strong and vigorous; pink; full; double. The largest-flowered Rose grown, often measuring 6 inches across. A very desirable variety, and one of the best Hybrid Perpetuals for the South.

Santa Rosa. (T.) Pink, with dark pink buds; dwarf, vigorous, very free blooming; medium-sized flowers. An excellent Rose; excellent for bedding.

Souvenir d'un Ami. (T.) Light pink, outer surface of petals darker; buds long and pointed.


Vigorous; free bloomer.

Souvenir de Madam Pernet. (T.) Light pink, edges of petals deep pink; full globular buds; good grower and bloomer. Same character as Duchesse de Brabant, but darker in color.

Vick's Caprice. (H. P.) Pink, fairly dark,

petals often striped with lighter color.

York and Lancaster. (H. P.) Pink or white. One of the oldest Roses in existence, dating back to the time of the Wars of the Roses. Very thrifty grower.



Reine Marie Henriette (see page 35)

The state of the s

GLEN SAINT MARY NURSERIES



Roses



Madam Lambard Roses (see page 37)

White Roses

Blanche de Muer. (H. P.) White, tinted with pink, small or medium flowers, double. Vigorous.

Bride. (T.) White, slightly pink tinted on outer petals, buds long, pointed, outer petals spreading, a very free-blooming variety and a great favorite.

Climbing Clothilde Soupert. (C. T.) White, globular buds, pink tinted in the center, flowers in clusters of three to eight, free blooming, a strong growing climber.

Climbing Marie Guillot. (C. T.) White. Very double; strong grower. Flowers in clusters of two to five. Foliage large and bright; a desirable variety.

Coquette des Alpes. (H. N.) White, tinted pink or very light pink; flowers medium size, vigorous grower.

Coquette des Blanches. (H. N.) White or slightly pink tinted. Globular buds, flowers small to medium,

Devoniensis. (C. T.) White tinted with pink; with beautiful buds. This is one of the most desirable climbing sorts and is not surpassed by any other variety in vigor of growth. It blooms profusely and flowers are always to be found.

Estelle Pradel. (C. N.) Lovely, pure white buds; flowers medium size, full and sweet; profuse bloomer. A favorite climbing Rose in the South.

Elise Boelle. (H. N.) White, delicately tinged with pink; medium size, full, beautiful, circular form; very sweet. A lovely Rose.

Frau Karl Druschki. (H. P.) White, with blooms four to six inches across; buds full, well formed; open flowers very double. A strong vigorous grower, nearly always in bloom. We strongly recommend this variety.



Devoniensis Roses





Roses

Kaiserin Augusta Victoria. (H. T.) White with lemon center. Full pointed buds. Vigorous and a good bloomer. Very double. This Rose is one of the newer sorts, with handsome bright foliage. The flowers are borne on long straight stems. A variety of great merit.

Lamarque. (C. N.) White, with sulphur center. Constant bloomer.

Madam Alfred Carriere. (H. N.) White, pink tinted. Flowers rather loose, medium size. A strong grower and free bloomer. It

grows well with us.

Marie Guillot. (T.) White, tinted with yellow and light pink. A vigorous Rose with large, full, double flowers.

Marie Lambert. (T.) White. Beautifully formed buds. Sweet-scented; vigorous. A free bloomer and one of the best for early spring flowers.

Marie Van Houtte. (T.) White with lemon tint, pink on outer petals. Buds of good size. Flowers turning pink as they fade. Good bloomer, thrifty grower, leaves large and shining. A very handsome and desirable Rose.

Mrs. Robert Peary. (H. T.) This Rose is identical with Kaiserin Augusta Victoria, except it is a climber. A strong grower and a very desirable and satisfactory variety.

Perfection des Blanches. (H. N.) White, very slightly tinted, mediumsized flowers. Regular and very double.

Pearl Rivers. (T.) White, outer petals tinted pink; fine buds and good double flowers. A vigorous Rose.

Queen. (T.) Pure white with globular buds, and good double flowers produced in clusters of three to fifteen, one of our best white Roses. Very free-flowering and vigorous.

Sylphide. (T.) White, slight pink tint. Inner petals irregular; flowers medium size. Free bloomer, strong grower. A good garden variety.

white Maman Cochet. (T.) Pure white, or white with very slight, delicate, pink tint on the outer petals; full, double, beautiful pointed buds, with regular shell-like petals. A profuse bloomer and strong, vigorous grower. We can strongly recommend it as one of our best Roses.

White Perle des Jardins. (T.) White, lemon tinted in center. Open flowers have petals turned back along edges giving them a pointed appearance. Strong grower and one of the most distinct and desirable white Roses.

Yellow and Salmon Roses

American Banner. (T.) Salmon-pink, petals pink tinted on outer edges; of good size; buds pointed. Strong grower and good bloomer.

Chromatella. (C. N.) Lemon-yellow; long-pointed buds; very vigorous and free-blooming. An old and desirable sort.

Etoile de Lyon. (T.) Yellow; large full flowers; deep yellow with good buds and large



Frau Karl Druschki Roses

double flowers. It blooms profusely and is a strong grower. Desirable yellow bush rose.

Fortune's Double Yellow. (C. T.) In color this Rose is a striking blending of yellow, salmon and bronze of beautiful shades. A strong, vigorous grower, producing its half-double flowers in spring in great profusion.

Gloire Lyonnaise. (H. P.) Light salmonyellow, sometimes creamy white. A large-flowered variety and very desirable. A fine Rose.





Roses

Isabella Sprunt. (T.) Lemon-yellow; buds like Safrano. Fine bloomer, a very desirable variety. A strong grower. Originated in eastern North Carolina.

Mad. Caroline Kuster. (N.) Yellow, salmon center; well-formed buds; flowering in clusters. A desirable climbing Rose.

Marechal Niel. (C. N.) Deep yellow; very large; full globular form; delightfully fragrant. The finest of all yellow climbing Roses. In the South it is at home and grows at its best. A strong, vigorous grower, producing freely its magnificent flowers at all seasons in great abundance. It should have the first place in every collection.

Media. (T.) Yellow; large full buds; deep yellow in center, lighter on the outer surfaces; free bloomer; strong grower. An excellent yellow bush Rose, equal to Etoile de Lyon and closely resembling it.



Etoi.e de Lyon Roses




White Maman Cochet Rose (see page 39)

Safrano. (T.) A delicate and beautiful tint of salmon, which is always bright and clear, and does not fade or shade off into dull and undesirable tints. One of the most exquisitely colored of Roses, and exceedingly beautiful in the bud. In this latitude it makes a vigorous, strong bush, and bears an abundance of flowers at all seasons. One of the best Roses for the South. Should be cut before the flowers are expanded.

Solfaterre. (C. T.) Clear sulphur-yellow; large and double. Foliage and character of growth very similar to Marechal Niel. A splendid climber and profuse and constant bloomer; the flowers do not blight, wilt or fade in the hot midsummer sun like many of the other fine varieties. With proper pruning it makes a splendid bush Rose. See illustration at head of Rose section.

Yellow Soupert. (T. P.) Very similar in character of growth and shape and size of flowers to Clothilde Soupert. The color of the flower is white with delicate chrome-yellow at center. Rather dwarf, but a good grower.



Windbreak of Camphor Trees at Glen Saint Mary Nurseries

Shade Trees

Nowhere in the country is shade so acceptable or so necessary as in the South. Whether in park or city street, country road or lawn, shade trees are valued not as luxuries, but as necessities for health and comfort. Nothing adds more to the home grounds, nothing so improves the appearance of town or city, as well-placed healthy, vigorous shade trees.

The list of trees which is offered to our customers we can strongly recommend for planting throughout the southern states. They are well grown, with straight stems and well developed root systems. Grown in nursery rows for a number of years, they are vastly superior to the trees which may be obtained from the woods.

CAMPHOR (Cinnamomum Camphora). An evergreen tree, of handsome, compact growth, with bright, clean foliage. A strong grower on moist, well-drained lands; hardy throughout Florida and the greater portion of the Gulf states. Strongly recommended for windbreaks. Now being planted in Florida on a commercial scale for the production of camphor gum. Fach Parks

ion of camphor gum. Each	Per 10	100
I to 2 feet\$0 20		\$12 00
2 to 3 feet, stocky 25	2 00	18 00
3 to 4 feet, stocky 40		25 00
4 to 5 feet, extra fine. 75		45 00
5 to 7 feet I 25	10 00	90 00
Special sized trees 2 00		

CATALPA speciosa. A hardy deciduous tree of very rapid growth, with large, dark green

Catalpa speciosa, continued

leaves. The flowers are large, $2\frac{1}{2}$ inches in diameter, white, with yellow and purple spots, borne in medium-sized clusters. Valuable as an ornamental tree and for its timber. The wood is exceedingly durable and well adapted for cross-ties and fence-posts.

	Each		
3 to 4 feet	.50 25	\$2	00
4 to 6 feet	. 30	2	50
6 to 8 feet	. 50	4	00
8 to 10 feet	. I 00	7	50

CHERRY LAUREL (Prunus Caroliniana). A small, evergreen tree reaching a height of from 20 to 30 feet, with dark, glossy green foliage. The flowers are white, small, borne in racemes in spring. They are followed by





Shade Trees

Cherry Laurel, continued

black cherry-like fruits which mature in autumn and hang on the trees throughout the winter. Grows well throughout the South as far north as Washington. Excellent for specimens or hedges.

pecimens of neages.	Each	Per 10	100
2 to 3 feet	.\$o 25	\$2 00	\$18 00
3 to 4 feet			
4 to 5 feet			45 00
5 to 7 feet	. I 25	10 00	
Special size	. 2 00		

ELMS. A group of large, stately, rapid-growing trees, well suited for planting on moist soil. They are among our most satisfactory shade trees for streets or lawns. We offer varieties well adapted to the South.

	Each	Per 10	100
2 to 3 feet	.\$0 30	\$2 50	\$20 00
3 to 4 feet	. 35	3 00	25 00
4 to 6 feet			30 00
6 to 8 feet	. 50	4 50	
8 to 10 feet	. 75	7 00	

American (*Ulmus Americana*). A very desirable variety, with long, gracefully curved branches. Leaves green, light beneath, becoming yellow in fall.

Cork (*Ulmus racemosa*). One of the Elms best adapted to the South, reaching a height of upwards of 100 feet, with oblong rounded top. Branches provided with corky wings, and clothed with dark green leaves. A valuable shade tree.

DOGWOOD, White (Cornus Florida). A small tree with spreading bushy top and

bright green leaves. The flowers with their large, white bracts, appearing in spring, before the leaves, make the Dogwood one of the most striking ornamental trees. The fruit ripens in autumn and is bright scarlet in color

ii color.	Each	Per 10
2 to 3 feet		
3 to 4 feet		
4 to 6 feet	. 50	4 50

FLOWERING WILLOW (Chilopsis linearis).

A spreading tree, reaching a height of 15 or 20 feet. Leaves long, narrow, willow-like. Flowers lilac striped with yellow, borne throughout most of the summer. Will grow and do well on dry land. Very handsome and odd.

ome and odd.	Each	Per 10
I to 2 feet	.\$0 25	\$2 60
2 to 3 feet	. 30	2 50
3 to 4 feet	. 40	3 50
4 to 6 feet	. 50	

HACKBERRY (Celtis occidentalis). A large, rapid-growing tree, with spreading branches and rounded head. Leaves oblong, narrow, pointed. A very satisfactory shade and avenue tree, and grows well over a wide area.

		Per 10
2 to 3 feet	.\$0 30	\$2 50
3 to 4 feet	. 35	3 00
4 to 6 feet	. 50	4 50

HOLLY (*Ilex opaca*). Well known as the Christmas Holly. This tree, with bright, green, spiny leaves and briliant scarlet berries is one of our handsomest evergreen


shade trees. A moderately rapid grower and succeeds on a wide range of soils. Should be severely cut back when transplanted.


transplanted.									
		-					ıch	Per	
0				ft.		\$о	40	\$3	50
				ft.			50		50
				ft.			75	6	00
	4	to	5	ft.		I	00	9	00
	5	to	7	ft.		Ι	20	10	00

JAPANESE VARNISH

TREE (Sterculia platanifolia). A rapid-growing, smooth, green-barked deciduous tree, with large leaves; head round and medium sized. An excellent shade tree.

				Ea	ch	Per	10
I	to	2	ft.	.\$o	40	\$3	50
2	to	3	ft.		50	.4	50
3	to	4	ft.		75	6	50
1	to	6	ft.	. т	00	7	50





Flowers of Magnolia grandiflora

JERUSALEM THORN (Parkin	sonia acı	ıleata).
A small tree, with thorny		
small pendulous leaves. Co-		
with a mass of yellow flower	ers; very	hand-
some and desirable.	Each	Per 10
I to 2 feet	\$0 35	\$3 00
2 to 2 feet	4 =	4 00

MAGNOLIA grandiflora. The grandest, broad-leaved evergreen of the southern forests. Leaves large, bright shining above, usually coated with brownish hairs beneath. Flowers beautiful, large, often 8 or 10 inches across, waxy white, lemon-scented and produced throughout a period of two or three months.

Prices of Magnolia grandiflora. Each		
I to 2 feet\$0 40		
2 to 3 feet 50	4 50	40 00
3 to 4 feet 75		
4 to 6 feet I 00	9 00	80 oo
6 to 8 feet 1 25	IO 00	00 00

MAPLES (Acer) are among our most valuable shade and ornamental trees. They grow rapidly and are long lived, while their colors, changing with the seasons from early spring to late autumn, lend a pleasing touch to the landscape.

Prices on Scarlet and Silver Maples.	Each	Per 10
3 to 4 feet		
4 to 6 feet		
6 to 8 feet	. I 25	10 00
8 to 10 feet	. 2 00	15 00

Scarlet (Acer rubrum). One of our handsomest Maples, growing to large size with moderately spreading branches. The leaves are three- to five-pointed, light green above, white beneath, changing to vivid shades of scarlet and gold in autumn. In early spring the bright red flowers are produced, followed by the equally highly colored seeds. Maples, continued

Silver (Acer dasycarpum). A maple of very rapid growth, with large, five-pointed leaves, green on the upper side and white, silvery colored beneath, turning pure yellow in fall. The branches are wide-spreading and rather drooping. Succeeds well everywhere.

Maple, Wier's Cut-leaved. A form of silver Maple, with deeply divided leaves. A rapid-growing tree with drooping branches. We recommend it highly. It grows well in southern sections.

Julielli occilons.	Each	Per 10
2 to 3 feet		
3 to 4 feet	60	5 00
4 to 6 feet	75	6 00

MIMOSA TREE (Albizzia julibrissin). A small tree with low, spreading, flat-topped head and finely divided dark green, compound leaves. Flowers pink, showy, borne in large bunches at the ends of the branches. A very handsome, rapid-growing tree, suited for planting throughout the South; hardy as far north as Washington.

Each Per 10
1 to 2 feet......\$0 30 \$2 50
2 to 3 feet.......40 3 50

OAK (Quercus). Long-lived, of rapid growth with graceful rounded tops. The Oaks are among our most valuable shade and ornamental trees. They can be grown almost anywhere, and no lawn or park is complete without a number of them. They are the most commonly planted of all our shade trees.


Prices on Oaks.	Each	
2 to 3 feet		
3 to 4 feet	. 45	4 00
4 to 6 feet		
6 to 8 feet	. I 00	9 00
8 to 10 feet		15 00
Special size	. 2 50	





Shade Trees

- Oak, Laurel (Quercus laurifolia). A medium- or large-sized tree, with thick, rounded head and slender branches. The leaves are oblong, sometimes lobed, dark green and shining. A handsome shade and avenue tree, native from Florida to Louisiana and Virginia.
- Pin (Quercus palustris). One of the most beautiful Oaks, with symmetrical conical head and short, spreading branches. The leaves are bright green, becoming red in fall, five- to seven-lobed. In moist soil it grows rapidly and has proved to be well adapted throughout the northern part of Florida and northward.
 - **Scarlet** (Quercus coccinea). A medium-sized Oak, with rounded open head. The leaves are very large, usually with seven wide, deep lobes. They turn bright scarlet in autumn. It grows well on rather dry soil.
 - Water (Quercus aquatica). The true Water Oak of the South, with slender spreading branches and rounded, rather conical head.



Tunp Tree

- Oak, Water, continued The leaves are somewhat broader, and slightly three-lobed at the apex. A rapid grower and one of our most beautiful shade
 - trees. Willow (Quercus phellos). A rapid-growing symmetrical tree, with rounded head and
- narrow willow-like leaves. One of the most satisfactory Oaks.
- **PECAN** (*Hicoria pecan*). A majestic tree rivaling the New England elm in stateliness and grandeur. Grows well throughout the cotton states and even farther north and west. Valuable for its nuts, and should be conmonly planted, both for fruit and shade. See page 11 for prices.
- **PLUM, Flowering.** A small tree with rounded, spreading top; flowers appearing before the leaves, pink, double; very handsome and showy; leaves wine-colored.
 - On Plum stock. Each 2 to 3 feet.....\$0 30 \$2 50 3 to 4 feet......
 - **Purple-leaved.** For description and prices, see page 20.
- **POPLARS** (*Populus*). Trees of rapid growth and valuable where quick shade is desired. Grow well under most adverse conditions.

Prices on Poplars.	Each	Per 10	100
3 to 4 feet	.\$0 25	\$2 00	\$17 00
4 to 6 feet	. 35	3 00	25 00
6 to 8 feet	. 50		
8 to 10 feet	. 90	7 50	65 00

- Carolina (Populus Carolinensis). A very rapid-growing tree well adapted to moist soils, seashore locations and where a quickgrowing tree is required. Leaves large, shining, tapering.
- Cottonwood (Populus deltoides). A largebranched tree, with well-foliaged, symmetrical head. The leaves are large, triangular and bright green, borne on flattened petioles and are moved by the slighest breeze.
- **Lombardy** (P. nigra Italica). A straight upright-growing tree of striking appearance. The leaves are small- or medium-sized, dark green with flattened petioles.
- **SYCAMORES.** Stately trees with white bark, upright, spreading branches and symmetrical heads. They are rapid-growing trees, well suited for planting in trying locations.

		Per 10	
3 to 4 feet	\$0 25	\$2 00	\$17 00
4 to 6 feet		3 00	25 00
6 to 8 feet	50	4 00	35 00
8 to 10 feet	75	6 00	55 00





Shade Trees

Sycamore, American (Platanus occidentalis). A noble tree with spreading branches and white or grayish bark. The leaves are large, lobed and toothed. A very rapid grower.

Sycamore, European (Platanus orientalis). A large tree with rounded head. Bark white; leaves large, 5- to 7-lobed.

RED BUD (Cercis Canadensis). A small tree, 20 to 30 feet high, with rounded handsome leaves, producing an abundance of rosy pink flowers in early spring.

	Each	Per 10
3 to 4 feet		
4 to 6 feet	. 50	4 50
6 to 8 feet	75	6 00

SWEET GUM (Liquidambar styraciflua). A rapid-growing native tree, with rather narrow sym-

> winged. Leaves bright green, five- to sevenpointed; in autumn brilliantly colored in shades of red and crimson.


Each	Per 10
3 to 4 feet\$0 50	\$4 00
4 to 6 feet	
6 to 8 feet I 00	
8 to 10 feet 2 00	15 00
Special size 2 50	

TALLOW TREE (Sapium sebiferum). A dwarf, spreading tree with poplar-like leaves, vivid gold and red in autumn. Seeds covered with wax used in Asia for candles.

	Per 10
3 to 4 feet\$0 40	
4 to 6 feet 50	4 50

TEXAS UMBRELLA. A medium-sized tree, with flat umbrella-like top. Foliage finely divided, dark green, casting a dense shade; and is a very desirable shade tree.

					10	
3 to 4 feet						
4 to 6 feet					30	00
6 to 8 feet						
8 to 10 feet			ΙI	00		
Special size	. 2	00				



Texas Umbrella Tree

metrical conical head. Branches often corky - TULIP (Liriodendron tulipifera). An ornamental tree of pyramidal shape and rapid growth. The foliage is bluntly four-lobed, bright bluish green, turning bright yellow in autumn. The flowers are greenish yellow, marked with deep orange, tulip-shaped. A handsome tree of clean growth, free from insects and diseases; one of the most desirable for park and lawn planting. See page 44 for illustration of flower and tree.

					IO	
3 to 4 feet						
4 to 6 feet		50	4	50	40	00
6 to 8 feet					50	00
8 to 10 feet			9	00		
Special size	. 2	,00				

WEEPING WILLOW (Salix Babylonica, var. pendula). Reaches a height of 30 feet, with pendulous branches and narrow leaves. The leaves are shining green above, bluish beneath. Valuable for planting along streams, the margin of ponds, or for lawn specimens.

•		Per 10
2 to 3 feet		
3 to 4 feet	. 30	2 00
4 to 5 feet	. 40	3 50

ARBORVITAES AND OTHER CONIFERS

These plants make beautiful individual lawn specimens. The different colors—yellow green, dark green and blue green—give a striking effect when planted in masses, either when groups are made up of a single kind or of a number of different kinds. They make an excellent background for other shrubs. For hedges they are unsurpassed. In planting for a hedge, they should be given more distance than other hedge plants. Four or five feet apart is not too much.

As plants for porches or porch steps, they are very satisfactory. They are hardy and long-lived.

We have tested the list offered for many years and know they will give satisfaction.





Conifers



Rosedale Arborvitae

ARBORVITAE (Thuya, Biota). Beautiful evergreen shrubs of compact symmetrical growth; especially suited for formal plantings. The varieties we list are adapted to southern climatic and soil conditions.

Aurea nana. A variety with compact rounded head and handsome greenish golden foliage.

Each Per 10

 I to I½ feet.
 \$0 40 \$3 50

 I½ to 2 feet.
 50 4 50

 2 to 3 feet.
 75 6 00

 3 to 4 feet.
 I 00 9 00

Pyramidalis. Upright and narrow, growing to a good height, with becautiful, light green foliage. One of the most striking Arborvitæ, a rapid grower; very fine for formal plantings.

Each Per 10

 I to 2 feet
 \$0 35
 \$3 00

 2 to 3 feet
 45
 4 00

 3 to 4 feet
 85
 7 00

 Special size
 3 00
 20 00

Rosedale. Of compact rounded, symmetrical form with very dense head. The foliage is dark, bluish green and very handsome Very desirable for the South. Each Per 10

 Very desirable for the South.
 Each per 10

 1 to 2 feet.
 \$0 35
 \$3 00

 2 to 3 feet.
 45
 4 00

 3 to 4 feet.
 80
 7 00

 4 to 5 feet.
 1 50
 12 00

 Special size.
 2 50

CEDRUS Deodara (Indian Cedar). A conebearing tree introduced from the Himalayan mountains. Of pyramidal form, reaching immense proportions, Foliage a beautiful shade of bluish green. This tree is well adapted to the southern states and makes an exceedingly handsome lawn specimen.

		Per 10
I to 2 feet	.\$o 50	\$4 00
2 to 3 feet	. 75	6 00
3 to 4 feet		
4 to 5 feet	. I 50	12 50
CREEPING JUNIPER (Junit	erus	Sabina
aubussifalia) A inning	F + 400 :1	ina an


cupressifolia). A juniper of trailing or creeping habit, bluish green, very handsome. Excellent for bordering walks and for cemetery planting. Each Per 10 I to 1½ feet. \$0 40 \$3 50 1½ to 2 feet. 50 4 50 2 to 3 feet. 75 6 50

JUNIPERUS Virginiana (Red Cedar). A dark green tree, with conical head and upright spreading branches. It grows rapidly and reaches a large size. It should be planted in a supply exposure.

in a sunny exposure.		
3 to 4 feet		
4 to 5 feet		
5 to 7 feet	I 00	9 00
Special size	3 00	



Cedrus deodara



SHRUBS AND HEDGE PLANTS

Nothing adds so much to the beauty of the home surroundings, nothing gives so much pleasure, as a good lawn and well-placed shrubs and vines. The number which may be planted will be governed by the shape and extent of the grounds, but even the smallest lot has a place for a few. They should be planted in masses, in corners and about the buildings, always leaving a goodly proportion of open lawn. Aside from their value in beautifying the grounds, they actually increase the money value of a property. A city lot, for instance, with well-grown shade trees and shrubs, is decidedly more valuable than a piece of bare ground.

The varieties offered are those which have been thoroughly tested and which we know will

give satisfaction. Our stock is healthy, vigorous and well grown.

ABELIA grandiflora. A beautiful evergreen
shrub with dark green glossy leaves becom-
ing bronze-colored in winter. Flowers
white, funnel-shaped, tinged with pink,
delicately sweet-scented, borne in clusters
throughout the whole season, from early
spring until late autumn. One of our hand-
somest shrubs. Each Per 10
I-year plants
2-year plants 40 3 50
ALTHAEA (<i>Hibiscus Syriacus</i>). Rose of Sharon.
This is one of our most desirable flowering
shrubs. The top is rather upright and
1' 701 '1 1
spreading. They are easily grown and pro-
duce an abundance of bloom throughout a
duce an abundance of bloom throughout a long period. Each Per 10
duce an abundance of bloom throughout a long period. Each Per 10 1 to 2 feet
duce an abundance of bloom throughout a long period. Each Per 10 I to 2 feet
duce an abundance of bloom throughout a long period. Each Per 10 I to 2 feet
duce an abundance of bloom throughout a long period. Each Per 10 I to 2 feet. So 20 \$I 50 2 to 3 feet. 25 2 00 3 to 4 feet. 40 3 50 4 to 6 feet. 50 4 50
duce an abundance of bloom throughout a long period. Each Per 10 I to 2 feet. \$0 20 \$I 50 2 to 3 feet. 25 2 00 3 to 4 feet. 40 3 50 4 to 6 feet. 50 4 50 Carnea plena. Double white, with red
duce an abundance of bloom throughout a long period. Each Per 10 I to 2 feet. So 20 \$1 50 2 to 3 feet. 25 2 00 3 to 4 feet. 40 3 50 4 to 6 feet. 50 4 50 Carnea plena. Double white, with red throat; a free bloomer.
duce an abundance of bloom throughout a long period. Each Per 10 1 to 2 feet
duce an abundance of bloom throughout a long period. I to 2 feet
duce an abundance of bloom throughout a long period. Each Per 10 1 to 2 feet

BARBERRY (Berberis Thunbergii). A low-
growing shrub, spiny, with bright green foliage which becomes beautifully colored in autumn. The white flowers are followed by bright shining red fruit. One of the most beautiful shrubs. Each Per 10 1 to 2 feet
camellia Japonica). Handsome ervergreen shrubs with bright shiny green leaves. Free-flowering and very desirable. No southern garden should be without this grand flower. We offer three double varieties, red, variegated and white. Each Per 10 12 to 15 inches\$0 60 \$5 00 15 to 18 inches 80 7 00
This small tree makes a handsome, durable hedge, the bright glossy evergreen foliage giving it an exceedingly pleasing appearance. Plants should be set about 15 inches apart, and may be trimmed in rectangular or rounded form. Each Per 10 Per 100 1 to 2 feet



White Crape Myrtle Border

CRAPE MYRTLE (Lagerstræmia Indica). Vigorous deciduous shrubs, reaching a height of 15 to 20 feet; leaves small, bright green. The fringed flowers are produced in immense clusters in different shades of white, purple and scarlet; of easy culture and one of the most conspicuous southern shrubs.


					10	
2 to 3 feet	. \$o	25	\$2	00	\$17	00
3 to 5 feet		40	3	00	25	00
5 to 7 feet					60	00
Special size	. I	00	9	00		

Purple. A grand sort, producing immense clusters of flowers of a rich purple color.

Scarlet. Of handsome growth; a bright showy plant with large bunches of scarlet flowers.

White. A pure white form with large clusters of flowers, very free-blooming.

ELAEAGNUS edulis. A low-growing shrub with silvery leaves; flowers light yellow,



Thomas Hogg Hydrangea

Elæagnus edulis, continued borne singly along the branches. Fruit bright red, produced in summer. It is sometimes used in making jellies.

	Lacn	Per 10
I to 2 feet	\$ 0 35	\$3 00
2 to 3 feet	50	4 00

FRENCH MULBERRY, White (Callicarpa Americana alba). A deciduous shrub with dark green leaves and upright stems. Fruit pure white, produced in compact bunches at the bases of the leaves. Easily grown and very showy.

		rer 10
I to 2 feet	\$ 0 25	\$2 00
2 to 3 feet	35	2 50

HYDRANGEA. A very ornamental group of shrubs with showy flowers, produced in large bunches. They are excellent for planting in masses.

arborescens. A hardy, upright shrub, reaching a height of 6 or 8 feet; flowers yellowish white, borne in early spring in flat

clusters. Desirable.	Each	Per 10
I to 2 feet	.\$o 35	\$3 00
2 to 3 feet	. 50	4 00
3 to 4 feet	. 60	5 00

showy form, producing immense clusters of flowers a foot or more in length, white, becoming slightly rose-colored. One of the best shrubs in cultivation. Reaches a height of 6 or 8 feet.

01 0 10001	Each	Let 10
I to 2 feet	.\$o 35	\$3 00
2 to 3 feet	. 50	4 00
3 to 4 feet	. 60	5 00





Shrubs and Hedge Plants

Hydrangea Otaksa. A variety similar to Thomas Hogg in growth and habit. Flower-heads very large, blue in color and very handsome.

										Per	
1-year							۰	.\$o	35	\$3	00
2-year			٠		٠		•		50	4	00

Thomas Hogg. A handsome, dwarf variety, growing in dense, compact form with large, bright green leaves. Produces large rounded clusters of white flowers.

	Each	1 61	TO
ı-year	\$0 35	\$3	00
2-year	50	4	00
3-year	60		

MOCK ORANGE (Philadelphus grandiflora). A handsome tall-growing shrub, with narrow, oval green leaves. The flowers are white and produced in medium-sized clusters.

		
4 to 6 feet	· 75	6 00
3 to 4 feet		
2 to 3 feet	. 35	3 00
I to 2 feet		
ized cidsters.		Per 10

POMEGRANATE, Flowering (Punica). These shrubs are among the most satisfactory for general planting. Beautiful flowers in various shades of white, pink and red produced all summer.

	1/11		
I to 2 feet\$0			
2 to 3 feet	30	2	50
3 to 5 feet	50	4	50

Double Scarlet. Has large, bright scarlet flowers; a strong-growing variety.

Double White. A strong-growing variety with long, double creamy white flowers.

Dwarf Scarlet. A compact dwarf variety with small bright scarlet flowers.

Mad. Legrelle. Pink, marked with crimson veins, very full and double.



Amoor River Privet Hedge

PRIVET, Amoor River (Ligustrum Amurense).

A densely branched variety of rapid growth, with small evergreen leaves. The best hedge Privet known, and may be pruned in any desired form. Very ornamental when grown as an individual specimen. This is the best hedge Privet, either North or South.

Fach Per 10 100 1000

soutn.	Each	Per 10	100	1,000
ı-year	\$0 15	\$1 00	\$5 00	\$35 00
2-year	25	I 50	9 00	55 00

SPIRAEAS. These shrubs bear a profusion of showy flowers in early spring. They are very hardy, thrive well in moist, fertile soils, and are well adapted for southern planting.

		Per 10
I-year	.\$0 30	\$2 50
2-year	. 35	3 00
3-year	. 50	4 00



Spiraea Cantoniensis





Shrubs and Hedge Plants

	A compact branching
	in height, producing a
	white flowers, very hand-
some and desirable.	

Van Houttei. Branches long and arching; leaves dark green; flowers produced in clusters along the branches; hardy. A splendid plant for mass effects.

SWEET SHRUB (Butneria florida). A deciduous shrub, highly esteemed for its large, reddish sweet-scented flowers, which are produced in early spring. The leaves are large, dark green, and the plant reaches a height of about five feet. Grows weil in shade.

 Per 10
 Each
 Per 10

 2 to 3 feet
 \$0 30
 \$2 50

 3 to 4 feet
 40
 3 00

TAMARIX (Tamarix Gallica). A tall growing shrub with slender branches and small bluish green leaves; flowers produced in summer, pink in large sprays. Excellent for the seashore. Sometimes called Salt Cedar.


Tamarix, continued	E	ach Per 10	
I to 2 feet			
2 to 3 feet		35 3 00	
3 to 4 feet		50 4 00	

TRIFOLIATA ORANGE (Citrus trifoliata). A small-growing, hardy variety of Orange, with sweet-scented flowers appearing in spring before the leaves. Of dense, upright form and very thorny. Fruit round, golden, ripening in autumn and remaining on the trees for two or three months after coloring. A handsome tree, and makes an impenetrable hedge. Very valuable and hardy, withstanding temperatures below zero.

BAMBOOS, GRASSES, ETC.

In giving a tropical effect to the grounds, no plants are more useful or desirable than the bamboos and taller-growing grasses. Their long willowy canes and fine foliage make a very pleasing effect. They are also useful as screens for unsightly objects and for tall hedges.

The list which we are growing has been carefully tested for hardiness and general beauty. They



Clump of Bambusa argentea

will stand temperature of twelve to fifteen degrees or lower. We are certain they will give satisfaction. They should be more generally used throughout the South. Nothing else fills the same place.

Prices on Arundo donax, Arundinaria falcata, Bambusa argentea, argentea striata, aurea, metake, verticillata. Each Per 10
Small clumps......\$0 35 \$3 00
Strong clumps...... 50 4 00
Extra-strong clumps.

\$1 to 2 00

ARUNDO donax variegata. A stronggrowing grass. Stems 8 to 12 feet high. Leaves large, green with stripes of creamy white. Plumes large and showy. Very hardy.

ARUNDINARIA falcata. A very graceful Bamboo, reaching a height of 10 to 12 feet. Grows in dense thick clumps; leaves fernlike. Very hardy.

BAMBUSA argentea. This very desirable variety reaches a height of 30 to 40 feet with graceful spreading top. Very hardy.



Clumps of Japanese Paper Plant

Bambusa argentea striata. This variety is the same as Argentea, except that the leaves are beautifully striped green and white. A strong grower. Hardy.

Aurea. Stems yellow, reaching a height of 10 to 12 feet. Root stocks spreading underground. Branches open spreading. Hardy.

Metake. A handsome broad-leaved Bamboo, reaching a height of 10 feet. Grows in large dense masses. Ornamental. Hardy.

Verticillata. Canes striped yellow, reaching 15 or 20 feet. Makes fine clumps and very hardy.

PAPER PLANT (Aralia papyrifera). A very ornamental plant with large leaves shaped something like the castor bean. Splendid for clumps and borders. Strong plants, 25c. ea., \$2 per 10.

YUCCA filamentosa (Adam's needle, or Bear Grass). A native plant with long, green leaves borne in a dense clump. Flowering stems 4 to 6 feet high bearing in profusion drooping creamy white flowers. Very hardy and desirable.

 Ind desirable.
 Each
 Per 10

 1-year
 \$0 30
 \$2 50

 2-year
 40
 3 50

VINES

HONEYSUCKLES (Lonicera). Rapid-growing vines, with handsome flowers. They make a dense covering and are especially adapted for porches, trellises, and for hiding unsightly places.

Each Per 10

I-year\$0 25 \$2 00 2-year 35 3 00

Trumpet (*Lonicera sempervirens*). A beautiful, strong-growing vine, with oval leaves, bluish green in color. Flowers showy, scarlet on the outside, yellow within, large and produced throughout nearly the whole year with us. Even in winter it continues in bloom.







Vines

		icera Japonica). A
		slender stems, and
dark green	leaves. Flow	vers white, changing
to yellow a	as they fade.	Produces a dense
covering.		

TRUMPET VINE (Bignonia radicans). A strong-growing vine, with dark green compound leaves. The flowers, brilliant orange in color, are borne in clusters during the summer months. The Trumpet Vine is valuable as a quick-growing cover for trellises, fences or any unsightly object. 2 to 3 feet, 30 cts. each, \$2.50 for 10.

VIRGINIA CREEPER (Ampelopsis quinquefolia). A hardy, rapid-growing vine; leaves deciduous dark green, five-parted, gorgeously colored red and scarlet in fall. A splendid vine for walls, arbors and porches.

Prices of Virginia Creeper			Per 10	
ı-year	\$0	25	\$2 00	į
2-year		30	2 50	,

YELLOW JESSAMINE (Gelsemium sempervirens). A slender, rapid-growing evergreen vine, with dark green leaves. The flowers are yellow, fragrant and produced in profusion during the spring months. A noteworthy vine in southern woods. One-year vines, 20 cts. each, \$1.50 for 10.

PROPER DISTANCES FOR PLANTING

Oranges on common stocks.25 to 30 ft. each way	Pears, Le Conte25 to 30 ft. each way
Oranges on C. trifoliata 18 to 20 ft. each way	Pears, General varieties 20 to 25 ft. each way
Kumquats 10 to 12 ft. each way	Grapes, Bunch varieties 8 to 10 ft. each way
Peaches and Apples 18 to 20 ft. each way	Grapes, Muscadine type 18 to 25 ft. each way
Plums	Figs 12 to 15 ft. each way
Japan Persimmons 15 to 20 ft. each way	Pecans40 to 50 ft. each way

NUMBER OF TREES OR PLANTS TO THE ACRE

Distance	No.	Distance	No.	Distance	No.
apart, feet	of trees	apart, feet	of tree	es apart, feet	of trees
					69
					48
11 by 11	360	18 by 18		4 40 by 40.	27
12 by 12	302	19 by 19	I 2	o 45 by 45.	2 I
13 by 13	257	20 by 20	I O	8 50 by 50.	17
1 4 by 14		22 by 22		0	

Terms of Business

Location. Our Nurseries are one and one-half miles southwest of Glen Saint Mary, Baker county, Florida, a station on the Seaboard Air Line Railway, thirty miles west of Jacksonville.

Long Distance Telephone in our office.

Glen Saint Mary is a freight, express and telegraph station.

Invitations to Visitors.—We take pleasure in showing our stock to persons wishing to purchase; and, if notified in time, will meet visitors at the station on arrival.

No Agents.—We employ no agents, and have no connection with any other nursery. Trees sold to dealers must be resold by them upon their own responsibility. We are responsible only to parties purchasing direct from our Nurseries.

Club Orders.—Neighbors can sometimes club together and have one of their number place order for all, thus often securing lower prices on account of larger number of trees ordered.

Minimum Orders.—We do not care to accept orders amounting to less than \$2.

Terms of Business

Applying Prices.—Five, fifty and five hundred trees of one class at ten, hundred and thousand rates, respectively, purchaser's selection from varieties of one fruit having a common price. For instance, fifty or more peaches, in one or more varieties, would come at the hundred rate, and five hundred or more at the thousand rate. The foregoing does not apply to badly assorted orders, or to long lists made up of a few each of many varieties.

Terms Cash with order, if for immediate shipment. Orders for trees to be held for some weeks after the shipping season opens should also be accompanied by full payment. On orders booked in advance of the shipping season 25 per cent down, with the balance due when the shipping season opens. We do not care to ship trees C. O. D.

Remittances.—To secure safety and prompt acceptance, remittances should be made by Bank Draft, Express or Post Office Money Order, Registered Letter or Prepaid Express.

Method of Shipment.—Shipping directions should be plainly written and we urge our customers in all cases, to use our order sheets. We shall be pleased to forward additional ones upon application. Kindly indicate whether shipment is to be made by freight, express or mail. When method of shipment is left to us, or when no directions are given, we will ship according to our best judgment, by such means as we believe to be in the best interests of our customers.

Our stock is well and carefully packed in paper lined boxes and bales. For this, no extra charge is made, and neither time nor expense is spared in packing the trees in such shape that they will open up in good fresh condition.

Transportation at Purchaser's Risk and Expense.—All transportation charges are to be paid by the purchaser, and our responsibility ceases upon delivery, in good order, to forwarding companies; claims for losses or damages must be made upon the latter. We will, however, start a tracer for delayed shipments, if notified, and use every means at our command to secure prompt delivery, or recovery in case of damage or loss.

Shipping by Mail.—In ordering trees or plants for shipment by mail, add 15 per cent to the list price on the smallest size given, to cover cost of packing and postage. We cannot guarantee trees to come up to size specified in list, as only very small specimens can be sent in this way.

Time of Shipment.—Unless instructed otherwise, orders received during the shipping season will be forwarded as soon after their receipt as possible, and orders booked in advance will be shipped as soon as may be after the shipping season opens.

The Shipping Season.—November to March for all trees and plants. Citrus trees can, however, be shipped at any season of year, but, when forwarded during summer months, should be shipped by express.

Selecting Varieties suited to locality is of the first importance, and can often be more advantageously done by ourselves than by purchasers. We are always glad to aid our customers in their selections, when so desired, and will, upon request, cheerfully furnish additional information in regard to the adaptability or desirability of particular varieties.

Substitution.—We desire to follow our customers' wishes in this respect, and have found that they generally wish us to substitute, to the best of our judgment, in case any varieties or sizes ordered are exhausted. We, therefore, substitute when necessary unless instructed to the contrary.

Printed Labels attached with brass wire to everything sent out.

We Guarantee all stock sent out to be well-rooted, well-grown, true to name, properly packed, and shipped according to instructions. Our liability under the foregoing guaranty is limited in amount to the original price received.

Claims.—If, by any possibility, errors should occur, they will be promptly rectified, if claim is made within ten days after the receipt of the goods.

Brief Hints on Tree Planting

Soil on which trees are to be set should be thoroughly prepared before planting. A crop of beggarweed, velvet beans or cowpeas grown on the land the previous season makes an excellent foundation. Plow and pulverize the ground well before planting.

Set stakes where the trees are to stand. Make the rows straight. The orchard will look better and the trees will be easier to care for.

Dig the holes six inches deeper and wider than the spread of the roots.



Brief Hints on Tree Planting

When trees are received, open the boxes or bales and heel-in the trees in a shady place. Dig out a trench straight down on one side, sloping out to the ground level on the other, and deep enough to hold the roots of the trees. Place the trees in the trench side by side, cover the roots with earth and pack well around them.

Trees should not be left long, and are best heeled in only during the time of planting. Do not

allow the roots to be exposed to sun or wind at any time. Keep them covered.

Prune off broken roots and cut back the tops if they have not already been cut back. Trees will start off much better if well pruned at time of planting.

Set the trees at same depth as they stood in the nursery rows. The earth marks on the collar can be taken as a guide. Use top soil for filling in the holes. Pack the earth tight around the roots with the hands and fingers. A pound of good commercial fertilizer thoroughly mixed in the earth with which the holes are filled can be used to good advantage. Do not use stable manure.

If the soil is dry, water may be used to advantage, a bucketful or more. Apply the water when the hole is three-quarters filled in. When the water has sunk away, fill in the remainder of the hole with earth and rules the surface to leave the parth leave and the surface to leave the santh leave and the surface to leave the santh leave and the surface to leave the santh leave and the santh leave to the santh le

with earth, pack well and rake the surface, to leave the earth loose on top.

FLORIDA STATE HORTICULTURAL SOCIETY'S REPORTS

At the annual meeting of the Florida State Horticultural Society, numerous papers and reports, containing the most advanced thought of up-to-date, practical horticulturists are presented. The discussions following these reports bring out many valuable points. These papers, reports and discussions are reported verbatim and published in book form. These books are mailed to members of the society. Any one may become a member by paying \$1 membership fee.

The 1910 Report will be mailed to any one remitting \$1 for it.

INDEX

PAGE	PAGE	PAGE		
Abelia	French Mulberry48	Persimmons		
Albizzia	Grape Fruit	Philadelphus grandiflora49		
Almonds	Grapes	Plums 20–22, 44		
Althæa47	Grasses50, 51	Pomegranates31, 49		
Apples31, 32	Guava	Pomelo		
A rborvitæ	Hackberry42	Poplars		
Arundo 50	Hedge Plants 47–50	Privet		
Arundinaria 50	Holly	Prunus Caroliniana41, 42		
Barberry47	Honeysuckle51, 52	Quercus43, 44		
Bamboos 50, 51	Hydrangea48, 49	Quinces		
Bambusa50, 51	Ilex opaca42	Red Bud45		
Berberis Thunbergi47	Indian Cedar	Red Cedar46		
Bignonia radicans 52	Japan Persimmons 23-28	Rose of Sharon47		
Biota	Japan Walnut	Roses34-40		
Books	Jessamine, Yellow52	Shade Trees41-45		
Camellia	<u>J</u> uniperus46	Shrubs		
Camphor Tree 41	Kumquat 9	Spiræas49, 50		
Catalpa 41	Lemons	Sweet Gum45		
Cedrus Deodara46	Limes	Sweet Shrub50		
Cercis Canadensis45	Lombardy Poplar44	Sycamores		
Cherry Laurel 41, 42, 47	Lonicera 51, 52	Tallow Tree		
Chionanthus Virginica 50	Loquat31	Tamarix50		
Citrus Fruits3-11	Magnolia43	Terms of Business52-54		
Citrus Stocks 4	Maples	Texas Umbrella Tree 45		
Citrus trifoliata50	Mimosa Tree	Thorn 43		
Conifers	Mock Orange49	Trifoliate Orange50		
Cornus42	Mulberries30, 48	Trumpet Vine52		
Crape Myrtle	Muscadine Grapes33	Tulip Tree45		
Deciduous Fruits11-33	Number of trees to the acre52	Varnish Tree		
Distances to Plant52	Oaks	Vines51, 52		
Dogwood42	Oranges4-7, 50	Virginia Creeper 52		
Elæagnus edulis48	Paper Plant51	Walnuts		
Elms	Peaches	Weeping Willow45		
Figs	Pears	White Fringe50		
Flowering Plum44	PecansII-I3, 44	Wistaria52		
Flowering Pomegranate49	Persian Plum21	Yucca51		
Flowering Willow42				

QUANTITY	FULL NAME OF VARIETY (If Oranges, specify on what stock preferred.)	RITHON SIZE	PRICE
arement as and sales	R. end elvindy vennets ander "tensing the partness" Tages	ICINO SEDENCE OF THE DISTARCE	Potor
a an active y ad placed	And of Article for and price, break brice, Any new territory correspondence	ABBC AN SALE OF THE STANDS OF	fme Si exal9
are there is the political form.	STABLE PARKET AND SOLDEN.	Me and the Committee of	all cases in
101	Francisco de la constantina del constantina della constantina dell		
		>+1111111111111111111111111111111111111	
			Man Constitution of the Co

Glen Saint Mary Nurseries Company Glen Saint Mary, Florida

RDER SHEET Catalogue 1911 (N. OTRUSTA

H. HAROLD HUME
Vice-President and Secretary G. L. TABER, President and Treasurer


Before MAKING OUT YOUR ORDER, read carefully remarks under "Business Department," pages 53-54. Our customers will oblige us by using this sheet in ordering. Extra Order Sheets furnished on application.

Remittances can be made by Bank Draft, Money Order, Prepaid Express, or Registered Letter.

Please write in the quantity, full name of variety, size and price. Any necessary correspondence should be written on a

separate sheet. all cases cheerfully refund the money instead of substituting, if so requested, when order is placed. If you do not wish us to substitute to the best of our judgment, write "NO" We substitute, unless instructed to the contrary, but never until the varieties or sizes ordered are exhausted; and in

	QUANTITY (If Orange	Glen Saint Mary Nurseries Company GLEN SAINT MARY, FLORIDA For amount enclosed, \$ the Trees and Plants designated below: Name Place (Freight Station) State of Yia Province (Freight Station) Country Country
	FULL NAME OF VARIETY (If Oranges, specify on what stock preferred)	WRITE PLAINLY
	SIZE	n, send me by (write here "Freight," "Express," "Mail," or "Use your discretion.") Lag- This space for name and P. O. address of purchaser, without reference to destination of shipment. Ladies, please give title, Miss or Mrs. Name Street and No. } Post - office State or Country Country
	PRICE	discretion.")



Biota aurea nana in Nursery rows



Camphor trees in the Nursery



Magnolia granditiora in the Nursery

A PECAN ORCHARD

GLEN SAINT MARY
NURSERIES

GLEN SAINT MARY FLORIDA

PECAN NUTS